

Bibliography

References

- [1] A. Acart and C. Vogel. Analysis of bounded variation penalty methods of ill-posed problems. *Inverse Problem*, 10:1217–1229, 1994.
- [2] D. Adalsteinsson and J. Sethian. A Fast Level Set Method for Propagating Interfaces. *Journal of Computational Physics*, 118:269–277, 1995.
- [3] D. Adalsteinsson and J. Sethian. The fast construction of extension velocities in level set methods. Technical Report PAM-738, Center for Pure and Applied Mathematics. University of California at Berkeley, 1997.
- [4] D. Adalsteinsson and J. Sethian. The Fast Construction of Extension Velocities in Level Set Methods. *Journal of Computational Physics*, 148:2–22, 1999.
- [5] M. Adams, A. Willsky, and B. Levy. Linear estimation of boundary value stochastic processes—part 1: The role and construction of complementary models. *IEEE Transactions Automatic Control*, 29:803–811, 1984.
- [6] R. Adams and L. Bischof. Seeded Region Growing. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16:641–647, 1994.
- [7] J. Aggarwal and N. Nandhakumar. On the computation of motion from sequences of images - A Review. *Proceedings of the IEEE*, pages 917–935, 1988.
- [8] F. Alouges. An energy decreasing algorithm for harmonic maps. In J. Coron, J. Ghidaglia, and F. Helein, editors, *Nematics*, Nato ASI Series, pages 1–13. Kluwer Academic Publishers, Netherlands, 1991.
- [9] L. Alvarez, F. Guichard, P.-L. Lions, and J.-M. Morel. Axioms and Fundamental Equations of Image Processing. *Archives for Rational Mechanics and Analysis*, 16:199–257, 1993.
- [10] L. Alvarez, P.-L. Lions, and J.-M. Morel. Image selective smoothing and edge detection by nonlinear diffusion. *SIAM Journal on Numerical Analysis*, 29:845–866, 1992.
- [11] O. Amadieu, E. Debreuve, M. Barlaud, and G. Aubert. Inward and Outward Curve Evolution Using Level Set Method. In *IEEE International Conference on Image Processing*, volume III, pages 188–192, 1999.
- [12] L. Ambrosio. A compactness theorem for a special class of functions of bounded variation. *Bollettino dell'Unione Matematica Italiana*, 3(B):857–881, 1989.
- [13] L. Ambrosio and V. Tortorelli. Approximation of functionals depending on jumps by elliptic functionals via Gamma-convergence. *Communication Pure Applied Mathematics*, pages 999–1036, 1990.

2 Bibliography

- [14] L. Ambrosio and V. Tortorelli. On the Approximation of Free Discontinuity Problems. *Bollettino dell'Unione Matematica Italiana*, 6-B(7):105–123, 1992.
- [15] N. Amenta and M. Bern. Surface reconstruction by Voronoi filtering. In *14th ACM Symposium on Computational Geometry*, pages 39–48, 1998.
- [16] N. Amenta, M. Bern, and D. Eppstein. The crust and the β -skeleton: combinatorial curve reconstruction. *Graphical Models and Image Processing*, 60/2(2):125–135, 1998.
- [17] N. Amenta, M. Bern, and M. Kamvysselis. A new Voronoi-based surface reconstruction algorithm. In *ACM SIGGRAPH*, pages 415–421, 1998.
- [18] F. Andreu, C. Ballester, V. Caselles, and J.M. Mazón. The Dirichlet Problem for the Total Variation Flow. *Journal of Functional Analysis*, 180:347–403, 2001.
- [19] F. Andreu, C. Ballester, V. Caselles, and J.M. Mazón. Minimizing Total Variation Flow. *Differential and Integral Equations*, 14(3):321–360, 2001.
- [20] S. Angenent, S. Haker, A. Tannenbaum, and R. Kikinis. Laplace-Beltrami operator and brain flattening. Technical report, University of Minnesota ECE Report, 1998.
- [21] V. Arnold. *Mathematical Methods of Classical Mechanics*. Springer Verlag, 1978.
- [22] G. Aubert, M. Barlaud, P. Charbonnier, and L. Blanc-Féraud. Deterministic edge preserving regularization in computed imaging. Technical Report 94-01, I3S, CNRS URA 1376, Sophia-Antipolis, France, 1994.
- [23] G. Aubert, M. Barlaud, O. Faugeras, and S. Jehan-Besson. Image segmentation using active contours: calculus of variations of shape gradients? Technical Report 4483, INRIA, France, 2002.
- [24] G. Aubert and P. Kornprobst. *Mathematical Problems in Image Processing: Partial Differential Equations and the Calculus of Variations*. Springer-Verlag, 2001.
- [25] R. Azencott, F. Coldefy, and L. Younes. A distance for elastic matching in object recognition. In *IARP International Conference on Pattern Recognition*, volume 1, pages 687–691, 1996.
- [26] C. Bajaj, F. Bernardini, and G. Xu. Automatic Reconstruction of Surfaces and Scalar Fields from 3D Scans. In *ACM SIGGRAPH*, pages 109–118, August 1995.
- [27] C. Ballester, E. Cubero-Castan, M. González, and J.-M. Morel. Contrast Invariant Image Intersection. Preprint CEREMADE, 1998.
- [28] M. Bardi and S. Osher. The Nonconvex Multi-Dimensional Riemann Problem for Hamilton-Jacobi Equations. *SIAM Journal on Mathematical Analysis*, 22(2):344–351, 1991.
- [29] G. Barles. *Solutions de Viscosité des Equations de Hamilton-Jacobi*. Springer-Verlag, 1996.
- [30] A. Barr. Superquadrics and Angle-Preserving Transformations. *IEEE Computer Graphics and Applications*, 1:11–23, 1981.
- [31] J. Barron, D. Fleet, and S. Beauchemin. Performance of Optical Flow Techniques. *International Journal of Computer Vision*, 12:43–77, 1994.
- [32] B. Basclé and R. Deriche. Region Tracking through Image Sequences. In *IEEE International Conference in Computer Vision*, pages 302–307, 1995.
- [33] K.-J. Bathe and E. Wilson. *Numerical Methods in Finite Element Analysis*. Prentice-Hall, 1976.

- [34] S. Belongie, J. Malik, and J. Puzicha. Matching Shapes. In *IEEE International Conference in Computer Vision*, pages 456–461, 2001.
- [35] D. Bereziat, I. Herlin, and L. Younes. Motion detection in meteorological images sequences: Two methods and their comparison. In *SPIE*, volume 3127, pages 332–341, 1997.
- [36] J. Bergen, P. Anandan, K. Hanna, and R. Hingorani. Hierarchical Model-Based Motion Estimation. In *European Conference on Computer Vision*, pages 237–252, 1992.
- [37] M. Bertalmio, A. Bertozzi, and G. Sapiro. Navier-Stokes, Fluid Dynamics, and Image and Video Inpainting. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 355–362, 2001.
- [38] M. Bertalmio, L. Cheng, S. Osher, and G. Sapiro. Variational Problems and Partial Differential Equations on Implicit Surfaces. *Journal of Computational Physics*, 174(2):759–780, 2001.
- [39] M. Bertalmio, G. Sapiro, L.-T. Cheng, and S. Osher. Image Inpainting. In *ACM SIGGRAPH*, pages 417–424, 2000.
- [40] M. Bertalmio, G. Sapiro, L.-T. Cheng, and S. Osher. Variational Problems and PDE's on Implicit Surfaces. In *IEEE Workshop in Variational and Level Set Methods*, pages 186–193, 2001.
- [41] M. Bertalmio, G. Sapiro, and G. Randall. Morphing Active Contours. In *International Conference on Scale-Space Theories in Computer Vision*, pages 46–57, 1999.
- [42] M. Bertalmio, G. Sapiro, and G. Randall. Region Tracking on Level Set Methods. *IEEE Transactions on Medical Imaging*, 18:448–451, 1999.
- [43] G. Bertrand. Simple Points, Topological Numbers and Geodesic Neighborhoods in Cubic Grids. *Pattern Recognition Letters*, 15:1003–1011, 1994.
- [44] G. Bertrand, J. Everat, and M. Couprie. Image Segmentation through Operators Based on Topology. *Journal of Electronic Imaging*, 6:395–405, 1997.
- [45] J. Besag. On the statistical analysis of dirty images. *Journal of Royal Statistics Society*, 48:259–302, 1986.
- [46] H. Biermann, D. Kristjansson, and D. Zorin. Approximate Boolean Operations on Free-form Solids. In *ACM SIGGRAPH*, pages 185–194, August 2001.
- [47] B. Biswal and J. Hyde. Contour-based registration technique to differentiate between task-activation and head motion induced signal variations in fMRI. *Magnetic Resonance in Medicine*, 38:470–476, 1997.
- [48] M. Black and A. Jepson. Estimating optical flow in segmented images using variable-order parametric models with local deformations. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18:973–986, 1996.
- [49] M. Black, G. Sapiro, D. Marimont, and D. Heeger. Robust anisotropic diffusion. *IEEE Transactions on Image Processing*, 7:421–432, 1998.
- [50] A. Blake and M. Isard. *Active Contours*. Springer-Verlag, 1997.
- [51] A. Blake and C. Marinos. Shape from Texture: Estimation, Isotropy and Moments. *Artificial Intelligence*, 45(3):323–380, 1990.
- [52] A. Blake and A. Zisserman. *Visual Reconstruction*. MIT Press, 1987.

4 Bibliography

- [53] P. Blomgren and T. Chan. Color TV : Total Variation Methods for Restoration of Vector Valued Images. *IEEE Transactions on Image Processing*, 7(3):304–309, 1998.
- [54] P. Blomgren, T. Chan, P. Mulet, and C. Wong. Total Variation Image Restoration: Numerical Methods and Extensions. In *IEEE International Conference on Image Processing*, pages III, 384–387, 1997.
- [55] J. Bloomenthal, C. Bajaj, J. Blinn, M.-P. Cani-Gascuel, A. Rockwood, B. Wyvill, and G. Wyvill. *Introduction to Implicit Surfaces*. Morgan Kaufman, 1997.
- [56] M. Bloor and M. Wilson. Using partial differential equations to generate free-form surface. *Computer Aided Design*, pages 257–266, 1990.
- [57] D. Blostein and N. Ahuja. Shape from Texture: Integrating Texture-Element Extraction and Surface Estimation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(12):1233–1251, 1989.
- [58] J.-D. Boissonnat. Geometric structures for three dimensional shape reconstruction. *ACM Transactions in Graphics*, pages 266–286, 1984.
- [59] J.-D. Boissonnat and F. Cazals. Smooth shape reconstruction via natural neighbor interpolation of distance functions. In *ACM Symposium on Computational Geometry*, pages 223–232, 2000.
- [60] M. Boué and P. Dupuis. Markov Chain Approximations for Deterministic Control Problem with Affine Dynamics and Quadratic Cost in the Control. *SIAM Journal in Numerical Analysis*, 36(3):667–695, 1999.
- [61] J.-Y. Bouguet and P. Perona. 3D Photography Using Shadow in Dual Space Geometry. *International Journal of Computer Vision*, 35(2):129–149, 1999.
- [62] B. Bourdin. Image segmentation with a finite element method. *Mathematical Modelling and Numerical Analysis*, 33(2):229–244, 1999.
- [63] B. Bourdin and A. Chambolle. Implementation of an adaptive finite-element approximation of the Mumford-Shah functional. *Numerische Mathematik*, 85(4):609–646, 2000.
- [64] E. Boyer and M. Berger. 3D surface reconstruction using occluding contours. *International Journal of Computer Vision*, 22:219–233, 1997.
- [65] A. Braides. *Approximation of Free-Discontinuity Problems*. Lecture Notes in Mathematics No. 1694, Springer-Verlag, 1998.
- [66] D. Breen, S. Mauch, and R. Whitaker. 3D Scan Conversion of CSG Models into Distance, Closest-Point and Colour Volumes. In M. Chen, A. Kaufman, and R. Yagel, editors, *Volume Graphics*, pages 135–158. Springer-Verlag, 2000.
- [67] D. Breen and R. Whitaker. A Level Set Approach for the Metamorphosis of Solid Models. *IEEE Transactions on Visualization and Computer Graphics*, 7(2):173–192, 2001.
- [68] H. Brezis, J.-M. Coron, and E. Lieb. Harmonic maps with defects. *Communications in Mathematical Physics*, 107:649–705, 1986.
- [69] W. Briggs, V. Henson, and S. McCormick. *A Multigrid Tutorial*. SIAM, 2000.
- [70] R. Brockert and P. Maragos. Evolution Equations for Continuous-Scale Morphological Filtering. *IEEE Transactions on Signal Processing*, 42:3377–3386, 1994.

- [71] G. Brown. A Survey of Image Registration Techniques. *ACM Computing Surveys*, 24:325–376, 1992.
- [72] A. Bruhn, T. Jacob, M. Fischer, T. Kohlberger, J. Weickert, U. Brünig, and C. Schnorr. Designing 3-D nonlinear diffusion filters for high performance cluster computing. In L. Van Gool, editor, *Pattern Recognition*. Springer-Verlag, 2002.
- [73] P. Burchard, S. Chen, S. Osher, and H.K. Zhao. Surface Reconstruction From Normals. Technical report, Level Set Systems, 2000.
- [74] P. Burchard, L.-T. Cheng, B. Merriman, and S. Osher. Motion of Curves in Three Spatial Dimensions Using a Level Set Approach. *Journal of Computational Physics*, 170:720–741, 2001.
- [75] B. Cabral and C. Leedom. Imaging vector fields using line integral convolution. In *ACM SIGGRAPH*, pages 263–272, 1993.
- [76] E. Calabi, P. Olver, and A. Tannenbaum. Affine geometry, curve flows, and invariant numerical approximations. Technical report, University of Minnesota, 1995.
- [77] J. Canny. A computational Approach to Edge Detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8:769–798, 1986.
- [78] I. Carlbom, D. Terzopoulos, and K. Harris. Computer-Assisted Registration, Segmentation, and 3D Reconstruction from Images of Neuronal Tissue Sections. *IEEE Transactions on Medical Imaging*, 13:351–362, 1994.
- [79] T. Carne. The geometry of shape spaces. *Proceedings of the London Mathematics Society*, 3:407–432, 1990.
- [80] J. Carr, R. Beatson, J. Cherrie, T. Mitchell, W. Fright, B. McCallum, and T. Evans. Reconstruction and Representation of 3D Objects with Radial Basis Functions. In *ACM SIGGRAPH*, pages 67–76, 2001.
- [81] V. Caselles, F. Catté, B. Coll, and F. Dibos. A geometric model for active contours in image processing. *Numerische Mathematik*, 66(1):1–31, 1993.
- [82] V. Caselles and B. Coll. Snakes in Movement. *SIAM Journal on Numerical Analysis*, 33:2445–2456, 1996.
- [83] V. Caselles, B. Coll, and J.-M. Morel. Topographic Maps and Local Contrast Changes in Natural Images. *International Journal of Computer Vision*, 33(1):5–27, 1999.
- [84] V. Caselles, R. Kimmel, and G. Sapiro. Geodesic Active Contours. In *IEEE International Conference in Computer Vision*, pages 694–699, 1995.
- [85] V. Caselles, R. Kimmel, and G. Sapiro. Geodesic Active Contours. *International Journal of Computer Vision*, 22:61–79, 1997.
- [86] V. Caselles, R. Kimmel, G. Sapiro, and C. Sbert. 3D Active Contours. In *International Conference on Analysis and Optimization of Systems*, pages 43–49, 1996.
- [87] V. Caselles, R. Kimmel, G. Sapiro, and C. Sbert. Minimal surfaces based object segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19:394–398, 1997.
- [88] V. Caselles, J.-M. Morel, G. Sapiro, and A. Tannenbaum. Introduction to the special issue on PDEs and geometry-driven diffusion in image processing and analysis. *IEEE Transactions on Image Processing*, 7(3):269–274, 1998.

- [89] E. Catmull. *A Subdivision Algorithm for Computer Display of Curved Surfaces*. PhD thesis, Department of Computer Science, University of Utah, 1974.
- [90] F. Catté, F. Dibos, and G. Koepfler. A morphological scheme for mean curvature motion and applications to anisotropic diffusion and motion of level sets. *SIAM Journal on Numerical Analysis*, 32:1895–1909, 1995.
- [91] G. Celniker and D. Gossard. Deformable curve and surface finite element for free-form shape design. *Computer Graphics*, pages 257–266, 1991.
- [92] A. Chambolle. Un théorème de γ -convergence pour la segmentation des signaux. *C. R. Academie de Science, Paris, Sér. I*, 314:191–196, 1992.
- [93] A. Chambolle. Image segmentation by variational methods: Mumford and Shah functional and the discrete approximations. *SIAM Journal in Applied Mathematics*, 55:827–863, 1995.
- [94] A. Chambolle. Finite-differences discretizations of the Mumford-Shah functional. *Mathematical Modelling and Numerical Analysis Modelisation*, 33:261–288, 1999.
- [95] A. Chambolle and G. Dal Maso. Discrete approximation of the Mumford-Shah functional in dimension two. *Mathematical Modelling and Numerical Analysis Modelisation*, 33:651–672, 1999.
- [96] A. Chambolle and P.-L. Lions. Image Recovery via Total Variation Minimization and Related Problems. *Numerische Mathematik*, 76:167–188, 1997.
- [97] T. Chan, B. Sandberg, and L. Vese. Active Contours without Edges for Vector-Valued Images. *Journal of Visual Communication and Image Representations*, 2:130–141, 2000.
- [98] T. Chan and J. Shen. Variational restoration of non-flat image features: Models and algorithms. Technical Report 9920, UCLA-CAM, 1999.
- [99] T. Chan and D. Strong. Edge-preserving and Scale-Dependent Properties of Total Variation Regularization. Technical Report 0038, UCLA-CAM, 1999.
- [100] T. Chan and L. Vese. An Active Contour Model without Edges. In *International Conference on Scale-Space Theories in Computer Vision*, pages 141–151, 1999.
- [101] T. Chan and L. Vese. Active Contours without Edges. *IEEE Transactions on Image Processing*, 10:266–277, 2001.
- [102] T. Chan and L. Vese. A Level Set Algorithm for Minimizing the Mumford-Shah Functional in Image Processing. In *IEEE Workshop on Variational and Level Set Methods*, pages 161–168, 2001.
- [103] T. Chan and L. Vese. Active Contour and Segmentation Models Using Geometric PDE's for Medical Imaging. In R. Malladi, editor, *Geometric Methods in Bio-Medical Image Processing*. Springer-Verlag, 2002.
- [104] S. Chang, F. Cheng, W. Hsu, and Z. Wu. Fast algorithm for point pattern matching: Invariant to translations, rotations and scale changes. *Pattern Recognition*, 30(2):311–320, 1997.
- [105] C. Ched'Hotel, G. Hermosillo, and O. Faugeras. A Variational Approach to Multi-Modal Image Matching. In *IEEE Workshop in Variational and Level Set Methods*, pages 21–28, 2001.
- [106] M. Chen, T. Kanade, H. Rowley, and D. Pomerleau. Quantitative Study of Brain Anatomy. In *IEEE Workshop on Biomedical Image Analysis*, pages 84–92, 1998.

- [107] S. Chen, D. Johnson, and P. Raad. Velocity Boundary Conditions for the Simulation of Free Surface Fluid Flow. *Journal of Computational Physics*, 116:262–276, 1995.
- [108] S. Chen, B. Merriman, S. Osher, and P. Smereka. A simple level set method for solving Stefan problems. *Journal of Computational Physics*, 135:8–29, 1995.
- [109] Y. Chen, Y. Giga, and S. Goto. Uniqueness and existence of viscosity solutions of generalized mean curvature flow equation. *Journal of Differential Geometry*, 33:749–786, 1991.
- [110] Y. Chen, M. Hong, and N. Hungerbuhler. Heat flow of p-harmonic maps with values into sphere. *Mathematische Zeitschrift*, 205:25–35, 1994.
- [111] Y. Chen, H. Thiruvenkadam, H. Tagare, F. Huang, and D. Wilson. On the Incorporation of Shape Priors into Geometric Active Contours. In *IEEE Workshop in Variational and Level Set Methods*, pages 145–152, 2001.
- [112] Y. Chen, S. Thiruvenkadam, K. Gopinath, and R. Brigg. FMR Image Registration Using the Mumford-Shah Functional and Shape Information. In *World Multiconference on Systems, Cybernetics and Informatics*, pages 580–583, 2002.
- [113] Y. Chen, S. Thiruvenkadam, F. Huang, K. Gopinath, and R. Brigg. FMR Image Registration Using the Mumford-Shah Functional and Shape Information. In *IARP International Conference on Pattern Recognition*, pages 747–750, 2002.
- [114] L.-T. Cheng. *The Level Set Method Applied to Geometrically Based Motion, Material Science, and Image Processing*. PhD thesis, Department of Mathematics, UCLA, 2000.
- [115] L.-T. Cheng, P. Burchard, B. Merriman, and S. Osher. Motion of Curves and Constrained on Surfaces Using a Level Set Approach. *Journal of Computational Physics*, 175:604–644, 2002.
- [116] C. Chiang, C. Hoffmann, and R. Lync. How to compute offsets without self-intersection. In *SPIE*, volume 1620, page 76, 1992.
- [117] D. Chopp. *Computing Minimal Surfaces via Level Set Curvature Flow*. PhD thesis, Department of Mathematics, University of California, Berkeley, 1991.
- [118] D. Chopp. Computing Minimal Surfaces via Level Set Curvature Flow. *Journal of Computational Physics*, 106:77–91, 1993.
- [119] P. Chou and C. Brown. The theory and practice of bayesian image labeling. *International Journal of Computer Vision*, 4:185–210, 1990.
- [120] G. Christensen, M. Miller, and M. Vannier. Individualizing neuroanatomical atlases using a massively parallel computer. *IEEE Computer*, 1:32–38, 1996.
- [121] H. Chui and A. Rangarajan. A New Algorithm for Non-Rigid Point Matching. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages II: 44–51, 2000.
- [122] R. Cipolla and A. Blake. Surface shape from deformation of apparent contours. *International Journal of Computer Vision*, 9:83–112, 1992.
- [123] M. Clerc. Wavelet-Based Correlation for Stereopsis. In *European Conference on Computer Vision*, pages 495–509, 2002.
- [124] M. Clerc and S. Mallat. Shape from Texture through Deformations. In *IEEE International Conference in Computer Vision*, pages 405–410, 1999.

- [125] E. Cohen, R. Riesenfeld, and G. Elber. *Geometric Modeling with Splines*. AK Peters, 2001.
- [126] I. Cohen and I. Herlin. Curve Matching Using Geodesic Paths. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 741–746, 1998.
- [127] L. Cohen. On active contour models and balloons. *CVGIP: Image Understanding*, 53:211–218, 1991.
- [128] R. Cohen, R. Hardt, D. Kinderlehrer, S. Lin, and M. Luskin. Minimum energy configurations for liquid crystals: Computational results. In J. Ericksen and D. Kinderlehrer, editors, *Theory and Applications of Liquid Crystals*, pages 99–121. Kluwer Academic Publishers, 1987.
- [129] T. Cohignac, C. Lopez, and J.-M. Morel. Integral and Local Affine Invariant Parameter and Application to Shape Recognition. In *IARP International Conference on Pattern Recognition*, pages 164–168, 1994.
- [130] E. Cole. The Removal of Unknown Image Blurs by Homomorphic Filtering. Technical Report 0038, Department of Electrical Engineering, University of Toronto, 1973.
- [131] A. Collignon, F. Maes, D. Vandermeulen, P. Suetens, and G. Marchal. Automated multimodality image registration using information theory. In *Information Processing in Medical Imaging*, pages 263–274, 1995.
- [132] D. Comaniciu, V. Ramesh, and P. Meer. Real time tracking of non-rigid objects using Mean Shift. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 142–149, 2000.
- [133] T. Cootes, C. Beeston, G. Edwards, and C. Taylor. Unified Framework for Atlas Matching Using Active Appearance Models. In *Information Processing in Medical Imaging*, pages 322–333, 1999.
- [134] T. Cootes and C. Taylor. Mixture model for representing shape variation. *Image and Vision Computing*, 17:567–574, 1999.
- [135] T. Cootes, C. Taylor, D. Cooper, and J. Graham. Active shape models - their training and application. *Computer Vision and Image Understanding*, 61:38–59, 1995.
- [136] H. Cordes. Zero Order A Priori Estimates for Solutions of Elliptic Differential Equations. In *Symposium in Pure Mathematics*, pages 157–166, 1961.
- [137] M. Crandall, L. Evans, and P.-L. Lions. Some Properties of Viscosity Solutions of Hamilton Jacobi Equations. *Transactions of American Mathematical Society*, 282:485–502, 1984.
- [138] M. Crandall, H. Ishii, and P.-L. Lions. User’s Guide to Viscosity Solutions of Second Order Partial Differential Equations. *American Mathematical Society Bulletin*, 27:1–67, 1992.
- [139] M. Crandall and P.-L. Lions. Viscosity Solutions of Hamilton-Jacobi Equations. *Transactions of American Mathematical Society*, 277:1–42, 1983.
- [140] M. Crandall and P.-L. Lions. Two approximations of solutions of Hamilton-Jacobi equations. *Mathematics of Computation*, 43:1–19, 1984.
- [141] D. Cremers, T. Kohlberger, and C. Schnorr. Nonlinear Shape Statistics in Mumford-Shah Based Segmentation. In *European Conference on Computer Vision*, volume 2, pages 93–108, 2002.

- [142] D. Cremers, C. Schnorr, and J. Weickert. Diffusion-snakes: Combining statistical shape knowledge and image information in a variational framework. In *IEEE Workshop in Variational and Level Set Methods*, pages 137–144, 2001.
- [143] G. Cross and A. Zisserman. Surface reconstruction from multiple views using apparent contours and surface texture. In A. Leonardis, F. Solina, and R. Bajcsy, editors, *Confluence of Computer Vision and Computer Graphics*, pages 25–47. Kluwer, 2000.
- [144] B. Curless and M. Levoy. A volumetric method for building complex models from range images. In *ACM SIGGRAPH*, pages 303–312, 1996.
- [145] G. Dal Maso, J.-M. Morel, and S. Solimini. A variational method in image segmentation: existence and approximation results. *Acta Mathematica*, pages 89–151, 1992.
- [146] A. Dale, B. Fischl, and M. Sereno. Cortical Surface-based Analysis I: Segmentation and Surface Reconstruction. *NeuroImage*, 9:179–194, 1999.
- [147] P. Danielsson. Euclidean Distance Mapping. *Computer Graphics and Image Processing*, 14:227–248, 1980.
- [148] B. Dawant, S. Hartmann, J.-P. Thirion, F. Maes, D. Vandermeulen, and P. Demaerel. Automatic 3-D Segmentation of Internal Structures of the Head in MR Images Using a Combination of Similarity and Free-Form Transformations: Part I, Methodology and Validation on Normal Subjects. *IEEE Transactions on Medical Imaging*, 18:909–916, 1999.
- [149] E. De Giorgi, M. Carriero, and A. Leaci. Existence theorem for a minimum problem with free discontinuity set. *Archives for Rational Mechanics and Analysis*, 108:195–218, 1989.
- [150] E. DeCastro and C. Morandi. Registration of Translated and Rotated Images Using Finite Fourier Transforms. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19:700–703, 1987.
- [151] R. Deriche. Using Canny’s Criteria to Derive a Recursively Implemented Optimal Edge Detector. *International Journal of Computer Vision*, 1:167–187, 1987.
- [152] R. Deriche, S. Bouvin, and O. Faugeras. Front Propagation and Level-Set Approach for Geodesic Active Stereovision. In *Asian Conference in Computer Vision*, pages 1:640–647, 1998.
- [153] M. Desbrun and M.-P. Cani-Gasceul. Active Implicit Surfaces for Computer Animation. In *Graphics Interface*, pages 143–150, 1998.
- [154] M. Desbrun and M.-P. Gascuel. Animating Soft Substances with Implicit Surfaces. In *ACM SIGGRAPH*, pages 287–290, 1995.
- [155] M. Desbrun, M. Meyer, P. Schröder, and A. Barr. Implicit Fairing of Irregular Meshes using Diffusion and Curvature Flow. In *ACM SIGGRAPH*, pages 317–324, 1999.
- [156] M. Desbrun, M. Meyer, P. Schröder, and A. Barr. Discrete differential-geometry operators in nD . Technical report, Multi-res modeling group, Caltech, 2000.
- [157] A. Desolneux, L. Moisan, and J.-M. Morel. Meaningful Alignments. *International Journal of Computer Vision*, 40:7–23, 2000.
- [158] A. Desolneux, L. Moisan, and J.-M. Morel. Edge Detection by Helmholtz Principle. *Journal of Mathematical Imaging and Vision*, 14:271–284, 2001.

- [159] R. DeVore, B. Jawerth, and B. Lucier. Image Compression Through Wavelet Transform Coding. *IEEE Transactions on Information Theory*, 38:719–746, 1992.
- [160] F. Dibos. Projective Analysis of 2-D Images. *IEEE Transactions on Image Processing*, 7:274–279, 1998.
- [161] F. Dibos. Du groupe projectif au groupe des recalages, une nouvelle modélisation. *C.R. Academie de Science de Paris*, 332:799–804, 2001.
- [162] F. Dibos and G. Koepfler. Total Variation Minimization by the Fast Level Sets Transform. In *IEEE Workshop in Variational and Level Set Methods*, pages 179–185, 2001.
- [163] U. Diewald, T. Preufer, and C. Vogel. Anisotropic Diffusion in Vector Field Visualization on Euclidean Domains and Surfaces. *IEEE Transactions on Visualization and Computer Graphics*, 6:139–149, 2000.
- [164] M.P. do Carmo. *Differential Geometry of Curves and Surfaces*. Prentice-Hall, 1976.
- [165] D. Dobson and C. Vogel. Convergence of an iterative method for total variation image denoising. *SIAM Journal on Numerical Analysis*, 34:1779–1971, 1997.
- [166] D. Dobson and C. Vogel. Global Total Variation Minimization. *SIAM Journal on Numerical Analysis*, 37:646–664, 2000.
- [167] J. Dorsey and P. Hanrahan. Digital materials and virtual weathering. *Scientific American*, 282:46–53, 2000.
- [168] R. Duda and P. Hart. *Pattern Classification and Scene Analysis*. John Wiley & Sons, 1973.
- [169] F. Durand. *3D Visibility: Analysis, Study and Application*. PhD thesis, MIT, 1999.
- [170] S. Durand and J. Froment. Reconstruction of wavelet coefficients using total variation minimization. Technical Report 18, CMLA, 2001.
- [171] N. Duta and A. Jain. Corpus Callosum shape analysis: a comparative study of group differences associated with dyslexia, gender and handedness. 2000.
- [172] M. Eck, T. DeRose, T. Duchamp, M. Lounsbery, and W. Stuetzle. Multi-resolution analysis of arbitrary meshes. In *ACM SIGGRAPH*, pages 173–182, 1995.
- [173] M. Eck and H. Hoppe. Automatic reconstruction of B-spline surfaces of arbitrary topological type. *Computer Graphics*, 30:325–334, 1996.
- [174] H. Edelsbrunner and E. Mücke. Three-dimensional Alpha Shapes. *ACM Transactions on Graphics*, 13:43–72, 1994.
- [175] J. Eells and L. Lemarie. A report on harmonic maps. *Bulletin of London Mathematics Society*, 10:1–68, 1978.
- [176] J. Eells and L. Lemarie. Another report on harmonic maps. *Bulletin of London Mathematics Society*, 20:385–524, 1988.
- [177] A. El-Fallah and G. Ford. Mean curvature evolution and surface area scaling in image filtering. *IEEE Transactions on Image Processing*, 6:750–753, 1997.
- [178] A. Elgammal, D. Harwood, and L. Davis. Non-Parametric Model for Background Substraction. In *European Conference on Computer Vision*, pages II:751–767, 2000.
- [179] D. Enright, R. Fedkiw, J. Ferziger, and I. Mitchell. A Hybrid Particle Level Set Method for Improved Interface Capturing. *preprint*, 2002. Submitted: Journal of Computational Physics.

- [180] D. Enright, S. Marschner, and R. Fedkiw. Animation and Rendering of Complex Water Surfaces. In *ACM SIGGRAPH*, pages 736 – 744, 2002.
- [181] L. Evans. *Partial Differential Equations*. American Mathematical Society, 1998.
- [182] L. Evans and R. Gariepy. *Measure theory and fine properties of functions*. CRC Press, 1992.
- [183] L. Evans, H. Peng, and P. Souganidis. Phase Transitions and Generalized Motion by Mean Curvature. *Communication on Pure and Applied Mathematics*, 5:1097, 1992.
- [184] L. Evans and J. Spruck. Motion of Level Sets by Mean Curvature. *Journal of Differential Geometry*, 33:635–681, 1991.
- [185] P. Faloutsos, M. van de Panne, and D. Terzopoulos. Dynamic Free-Form Deformations for Animation Synthesis. *IEEE Transactions on Visualization and Computer Graphics*, 3:201–214, 1997.
- [186] O. Faugeras. *Three-Dimensional Computer Vision: A Geometric Viewpoint*. MIT Press, 1993.
- [187] O. Faugeras, F. Clément, R. Deriche, R. Keriven, T. Papadopoulo, J. Gomes, G. Hermosillo, P. Kornprobst, D. Lingrad, J. Roberts, T. Viéville, and F. Devernay. The inverse EEG and MEG problems: The adjoint state approach I: The continuous case. Technical Report 3673, INRIA, France, 1999.
- [188] O. Faugeras and R. Keriven. Variational Principles, Surface Evolution, PDE’s, Level Set Methods and the Stereo Problem. Technical Report 3021, INRIA, France, 1996.
- [189] O. Faugeras and R. Keriven. Complete Dense Stereovision Using Level Set Methods. In *European Conference on Computer Vision*, pages 379–393, 1998.
- [190] O. Faugeras and R. Keriven. Variational Principles, Surface Evolution, PDEs, Level Set Methods, and the Stereo Problem. *IEEE Transactions on Image Processing*, 7:336–344, 1998.
- [191] O. Faugeras, Q.-T. Luong, and T. Papadopoulo. *The Geometry of Multiple Images*. MIT Press, 2000.
- [192] R. Fedkiw, T. Aslam, B. Merriman, and S. Osher. Non-Oscillatory Eulerian Approach to Interfaces in Multimaterial Flows (The Ghost Fluid Method). *Journal of Computational Physics*, 152:457–492, 1999.
- [193] R. Fedkiw, J. Stam, and H. Jensen. Visual Simulation of Smoke. In *ACM SIGGRAPH*, pages 23–30, 2001.
- [194] B. Fischer and J. Modersitzki. Fast diffusion registration. Technical Report A-01-18, Institute of Mathematics, Medical University of Lübeck, 2001. To appear in *Contemporary Mathematics*.
- [195] B. Fischl, M. Sereno, and A. Dale. Cortical Surface-based Analysis II: Inflation, Flattening, and a Surface-based Coordinate System. *NeuroImage*, 9:195–207, 1999.
- [196] M. Fischler and R. Elschlager. The representation and matching of pictorial images. *IEEE Transactions on Computers*, 22:67–92, 1973.
- [197] A. Fitzgibbon. Robust Registration of 2D and 3D Point Sets. In *British Machine Vision Conference*, volume 2, pages 411–420, 2001.
- [198] N. Foster and R. Fedkiw. Practical Animation of Liquids. *ACM SIGGRAPH*, pages 23 – 30, 2001.
- [199] N. Foster and D. Metaxas. Modeling og the Motion of Hot, Turbulent Gass. *Graphical Models and Image Processing*, 58:471–483, 1996.

- [200] A. Frangi, D. Rueckert, J. Schnabel, and W. Niessen. Automatic 3D ASM construction via atlas-based landmarking and volumetric elastic registration. In *Information Processing in Medical Imaging*, pages 78–91, 2001.
- [201] S. Frisken, R. Perry, A. Rockwood, and T. Jones. Adaptively Sampled Distance Fields: A General Representation of Shape for Computer Graphics. In *ACM SIGGRAPH*, pages 249–254, 2000.
- [202] J. Froment and L. Moisan, editors. MEGAWAVE2. Free image processing software obtainable at <http://www.cmla.ens-cachan.fr/Cmla/Megawave>.
- [203] P. Fua and Y. Leclerc. Model driven edge detection. *Machine Vision and Applications*, 3:45–56, 1990.
- [204] M. Gage and R. Hamilton. The heat equation shrinking convex plane curves. *Journal of Differential Geometry*, 23:69–96, 1986.
- [205] T. Galyean and J. Hughes. Sculpting: An Interactive Volumetric Modeling Technique. In *ACM SIGGRAPH*, pages 267–274, 1991.
- [206] M. Gelgon and P. Bouthemy. A region-level graph labeling approach to motion-based segmentation. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 514–519, 1997.
- [207] S. Geman and D. Geman. Stochastic Relaxation, Gibbs Distributions, and the Bayesian Restoration of Images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 6:721–741, 1984.
- [208] G. Gerig, J. Martin, R. Kikinis, O. Kbler, M. Shenton, and F. Jolesz. Unsupervised tissue type segmentation of 3D dual-echo MR head data. *Image and Vision Computing*, 10:349–360, 1992.
- [209] G. Gerig, M. Styner, M. Shenton, and J. Lieberman. Shape versus Size: Improved Understanding of the Morphology of Brain Structures. In *Medical Imaging Computing and Computer-Assisted Intervention*, 2001.
- [210] M. Giaquinta, G. Modica, E. Rivlin, and J. Soucek. Variational problems for maps of bounded variation with values in S^1 . *Calculus of Variations*, 1:87–121, 1993.
- [211] P. Giblin. *Graphs, Surfaces and Homology*. Chapman and Hall, 1977.
- [212] P. Giblin and R. Weiss. Reconstruction of Surfaces from Profiles. Technical Report CS-1987-026, University of Maryland, 1987.
- [213] R. Gilmore, M. Childers, C. Leonard, R. Quisling, S. Roper, S. Eisenschenk, and M. Mahoney. Hippocampal volumetrics differentiates patients with temporal lobe epilepsy and extratemporal lobe epilepsy. *Archives of Neurology*, 52:819–824, 1995.
- [214] E. Giusti. *Minimal Surfaces and Functions of Bounded Variation*. Birkhauser, Basel, 1985.
- [215] R. Goldenberg, R. Kimmel, E. Rivlin, and M. Rudzsky. Cortex Segmentation - A Fast Variational Geometric Approach. In *IEEE Workshop in Variational and Level Set Methods*, pages 127–135, 2001.
- [216] R. Goldenberg, R. Kimmel, E. Rivlin, and M. Rudzsky. Fast Geodesic Active Contours. *IEEE Transactions on Image Processing*, 10:1467–1475, 2001.
- [217] G. Golub and C. Van Loan. *Matrix Computations*. Johns Hopkins University Press, 1989.
- [218] J. Gomes and O. Faugeras. Reconciling distance functions and level sets. *Journal of Visual Communication and Image Representation*, 11:209–223, 2000.

- [219] Y. Gousseau and J.-M. Morel. Are natural images of bounded variation. *SIAM Journal on Mathematical Analysis*, 14:634–648, 2001.
- [220] M. Grayson. The heat equation shrinks embedded plane curves to round points. *Journal of Differential Geometry*, 26:285–314, 1987.
- [221] U. Grenander. *General Pattern Theory*. Oxford University Press, 1993.
- [222] U. Grenander and M. Miller. Representation of knowledge in complex systems. *Journal of Royal Statistics Society, Ser. B*, 56:549–603, 1994.
- [223] W.E.L. Grimson. *From Images to Surfaces*. MIT Press, 1981.
- [224] S. Haker, S. Angenent, A. Tannenbaum, R. Kikinis, G. Sapiro, and M. Halle. Conformal Surface Parameterization for Texture Mapping. Technical Report 1611, University of Minnesota, 1999.
- [225] X. Han, C. Xu, U. Braga-Neto, and J. Prince. Topology Correction in Brain Cortex Segmentation Using a Multiscale, Graph-based Algorithm. *IEEE Transactions on Medical Imaging*, 21:109–121, 2002.
- [226] X. Han, C. Xu, M. Rettmann, and J. Prince. Automatic segmentation editing for cortical surface reconstruction. In *SPIE Medical Imaging*, volume 4322, pages 194–203, 2001.
- [227] X. Han, C. Xu, D. Tosun, and J. Prince. Cortical Surface Reconstruction Using a Topology Preserving Geometric Deformable Model. In *IEEE Mathematical Methods in Biomedical Image Analysis*, pages 213–220, 2001.
- [228] R. Haralick. Digital step edges from zero crossing of second directional derivatives. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 6:58–68, 1984.
- [229] R. Hardt. Singularities of harmonic maps. *Bulletin of the American Mathematical Society*, 34:15–34, 1997.
- [230] F. Harlow and J. Welch. Numerical Calculation of Time-Dependent Viscous Incompressible Flow of Fluid with a Free Surface. *The Physics of Fluids*, 8:2182–2189, 1965.
- [231] A. Harten, B. Engquist, S. Osher, and S. Chakravarthy. Uniformly High Order Accurate Essentially Non-Oscillatory Schemes III. *Journal of Computational Physics*, 71:231–303, 1987.
- [232] R. Hartley and A. Zisserman. *Multiple View Geometry in Computer Vision*. Cambridge University Press, 2000.
- [233] H.J.A.M. Heijmans. *Morphological Image Operators*. Academic Press, 1994.
- [234] H.J.A.M. Heijmans and R. Keshet. First Steps Towards A Self-Dual Morphology. In *IEEE International Conference on Image Processing*, 2000.
- [235] H.J.A.M. Heijmans and R. Keshet. Inf-Semilattice Approach to Self-Dual Morphology. Technical Report PNA-R0101, CWI, Amsterdam, 2001.
- [236] K. Held, E. Kops, B. Kraus, W. Wells, R. Kikinis, and H. W. Miller-Grtne. Markov Random Field Segmentation of Brain MR Images. *IEEE Transactions on Medical Imaging*, 16:878–887, 1998.
- [237] H. L. F. von Helmholtz. *Treatise on Physiological Optics*. Dover, 1925.
- [238] C. Herbe. Numerical Methods for Nonlinear Diffusion Models of Sandpile Growth. Master’s thesis, Department of Mathematics, University of Kaiserslautern, Germany, 1999.

- [239] A. Hilton, A. Stoddart, J. Illingworth, and T. Windeatt. Implicit surface - based geometric fusion. *Computer Vision and Image Understanding*, 69:273–291, 1998.
- [240] M. Hiltzik and A. Pham. Synthetic Actors Guild. *Los Angeles Times, National Edition: AI + 2001*, May 8, 2001.
- [241] C. Hoffmann. *Geometric and Solid Modeling*. Morgan Kaufmann, 1989.
- [242] H. Hoppe, T. DeRose, T. Duchamp, J. McDonald, and W. Stuetzle. Surface reconstruction from unorganized points. In *ACM SIGGRAPH*, 1992.
- [243] B. Horn. *Robot Vision*. MIT Press, 1986.
- [244] B. Horn and M. Brooks. *Shape from Shading*. MIT Press, 1989.
- [245] B. Horn and B. Schunck. Determinating Optical Flow. *Artificial Intelligence*, 17:185–203, 1981.
- [246] P. Huber. *Robust Statistics*. John Wiley & Sons, 1981.
- [247] G. Huiskamp. Difference formulas for the surface laplacian on a triangulated surface. *Journal of Computational Physics*, 95:477–496, 1991.
- [248] B. Hunt. The application of constrained least-squares estimation to image restoration by digital computer. *IEEE Transactions on Computers*, C-22:805–812, 1973.
- [249] D. Huttenlocher, G. Klanderman, and W. Rucklidge. Comparing images using the Hausdorff distance. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 15:850–863, 1993.
- [250] T. Ilmanen. Generalized flows of sets by mean curvature on a manifold. *Indiana Journal of Mathematics*, pages 671–705, 1992.
- [251] M. Isard and A. Blake. Contour Tracking by Stochastic Propagation of Conditional Density. In *European Conference on Computer Vision*, volume I, pages 343–356, 1996.
- [252] H. Ishii. A generalization of Bence, Merriman, and Osher algorithm for motion by mean curvature. In A. Damlamian, J. Spruck, and A. Visintin, editors, *Curvature Flows and Related Topics*, pages 111–127. Gakkōtoshō, 1995.
- [253] K. Ito and K. Kunisch. An active set strategy formulation Based on the augmented Lagrangian Formulation for image restoration. *Mathematical Modelling and Numerical Analysis*, 33:1–21, 1999.
- [254] S. Jehan-Besson, M. Barlaud, and G. Aubert. Video Object Segmentation Using Eulerian Region-Based Active Contours. In *IEEE International Conference in Computer Vision*, volume I, pages 353–360, 2001.
- [255] S. Jehan-Besson, M. Barlaud, and G. Aubert. DREAM2S: Deformable Regions driven by an Eulerian Accurate Minimization Method for image and video segmentation, application to face detection in color video sequences. In *European Conference on Computer Vision*, volume 3, pages 365–380, 2002.
- [256] G.-S. Jiang and D. Peng. Weighted ENO schemes for Hamilton Jacobi equations. *SIAM Journal of Scientific Computing*, 21:2126–2143, 2000.
- [257] G.-S. Jiang and C.-W. Shu. Efficient Implementation of Weighted ENO Schemes. *Journal of Computational Physics*, 126:202–228, 1996.
- [258] M-P. Jolly, S. Lakshmanan, and A. Jain. Vehicle Segmentation and Classification Using Deformable Templates. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18:293–308, 1996.

- [259] S. Joshi, A. Banerjee, G. Christensen, J. Csernansky, J. Haller, M. Miller, and L. Wang. Gaussian Random Fields on Sub-Manifolds for Characterizing Brain Surfaces. In *Information Processing in Medical Imaging*, 1997.
- [260] B. Julesz. *Foundations of Cyclopean Perception*. The University of Chicago Press, 1971.
- [261] T. Kapur. *Model Based Three Dimensional Medical Image Segmentation*. PhD thesis, MIT, 1999.
- [262] M. Kass, A. Witkin, and D. Terzopoulos. Snakes: Active Contour Models. In *IEEE International Conference in Computer Vision*, pages 261–268, 1987.
- [263] M. Kass, A. Witkin, and D. Terzopoulos. Snakes: Active Contour Models. *International Journal of Computer Vision*, 1:321–332, 1988.
- [264] D. Kendall. Shape manifolds, procrustean metrics and complex projective spaces. *Bulletin of London Mathematics Society*, 16, 1984.
- [265] J. Kender and T. Kanade. Mapping Image Properties into Shape Constraints: Skewed Symmetry and Affine-Transformable Patterns, and the Shape-from-Texture Paradigm. In *National Conference on Artificial Intelligence*, pages 4–6, 1980.
- [266] R. Keriven. *Equations aux Dérivées Partielles, Evolutions de Courbes et de Surfaces et Espaces d'Echelle: Applications a la Vision par Ordinateur*. PhD thesis, Ecole Nationale des Ponts et Chaussées, 1997.
- [267] R. Keriven. A variational framework to shape from contours. Technical Report 221, Ecole Nationale des Ponts et Chaussées, 2002.
- [268] C. Kervrann and A. Trubuil. Optimal Level Curves and Global Minimisers of Cost Functionals in Image Segmentation. *Journal of Mathematical Imaging and Vision*, 17:153–173, 2002.
- [269] R. Keshet. Mathematical Morphology On Complete Semilattices and Its Applications to Image Processing. *Fundamentae Informatica*, 41:33–56, 2000.
- [270] S. Kichenassamy, A. Kumar, P. Olver, A. Tannenbaum, and A. Yezzi. Gradient flows and geometric active contour models. In *IEEE International Conference in Computer Vision*, pages 810–815, 1995.
- [271] S. Kichenassamy, A. Kumar, P. Olver, A. Tannenbaum, and A. Yezzi. Conformal curvature flows: from phase transitions to active vision. *Archive for Rational Mechanics and Analysis*, 134:275–301, 1996.
- [272] J. Kim, J. Fisher, A. Yezzi, M. Cetin, and A. Willsky. Non-Parametric Methods for Image Segmentation using Information Theory and Curve Evolution. In *IEEE International Conference on Image Processing*, 2002.
- [273] B. Kimia and K. Siddiqi. Geometric heat equation and nonlinear diffusion of shapes and images. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 113–120, 1994.
- [274] B. Kimia and K. Siddiqi. Geometric heat equation and non-linear diffusion of shapes and images. *Computer Vision and Image Understanding*, 64:305–322, 1996.
- [275] B. Kimia, A. Tannenbaum, and S. Zucker. On the evolution of curves via a function of curvature. I. The classical case. *Journal of Mathematical Analysis and Applications*, 163:438–458, 1992.

- [276] B. Kimia, A. Tannenbaum, and S. Zucker. Shocks and Deformations i: The Components of two-dimensional Shape and the reaction-diffusion space. *International Journal of Computer Vision*, 15:189–224, 1995.
- [277] R. Kimmel. Affine differential signatures for gray level images of planar shapes. In *IARP International Conference on Pattern Recognition*, 1996.
- [278] R. Kimmel. Intrinsic scale space for images on surfaces: The geodesic curvature flow. *Graphical Models and Image Processing*, pages 365–372, 1997.
- [279] R. Kimmel and A. Bruckstein. Tracking level sets by level sets: a method for solving the shape from shading problem. *Computer Vision, Graphics and Image Understanding*, 62:47–58, 1995.
- [280] R. Kimmel and A. Bruckstein. Regularized Laplacian zero crossings as optimal edge integrators. In *Image and Vision Computing Conference*, New Zealand, 2001.
- [281] R. Kimmel and A. Bruckstein. On edge detection edge integration and geometric active contours. In *International Symposium on Mathematical Morphology*, volume 2, Sydney, Australia, 2002.
- [282] R. Kimmel and A. Kiryati, N. Bruckstein. Multivalued distance maps for motion planning on surfaces with moving obstacles. *IEEE Transactions on Robotics & Automation*, 14:427–435, 1998.
- [283] L. Kobbelt, M. Botsch, U. Schwanecke, and H.-P. Seidel. Feature Sensitive Surface Extraction from Volume Data. In *ACM SIGGRAPH*, pages 57–66, 2001.
- [284] L. Kobbelt, S. Campagna, J. Vorsatz, and H.-P. Seidel. Interactive multi-resolution modeling on arbitrary meshes. In *ACM SIGGRAPH*, pages 105–114, 1998.
- [285] J. Koenderink. The structure of images. *Biological Cybernetics*, 50:363–370, 1984.
- [286] J. Koenderink. *Solid Shape*. MIT Press, 1990.
- [287] G. Koepfler, C. Lopez, and J.-M. Morel. A Multiscale Algorithm for Image Segmentation by Variational Method. *SIAM Journal on Numerical Analysis*, 31:282–299, 1994.
- [288] G. Koepfler and L. Moisan. Geometric Multiscale Representation of Numerical Images. In *International Conference on Scale-Space Theories in Computer Vision*, pages 339–350, 1999.
- [289] D. Koller, K. Daniilidis, and H.-H. Nagel. Model-Based Object Tracking in Monocular Image Sequences of Road Traffic Scenes. *International Journal of Computer Vision*, 10:257–281, 1993.
- [290] V. Kolmogorov and R. Zabih. Multi-camera Scene Reconstruction via Graph Cuts. In *European Conference on Computer Vision*, volume 3, pages 82–96, 2002.
- [291] T. Kong and A. Rosenfeld. Digital Topology: Introduction and Survey. *Computer Vision, Graphics and Images Processing*, 48:357–393, 1989.
- [292] T.Y. Kong and A. Rosenfeld. If we Use 4 or 8-Connectedness for Both the Objects and the Background, the Euler Characteristic Is Not Locally Computable. *Pattern Recognition Letters*, 11:231–232, 1990.
- [293] A. Koshelev. An Inequality for Elliptic Operators of Second-Order with Restricted Coefficients. *Soviet Mathematics*, 12:1009–1012, 1972.
- [294] D. Kozinska, O. Tretiak, J. Nisanov, and C. Ozturk. Multidimensional Alignment Using the Euclidean Distance Transform. *Graphical Models and Image Processing*, 6:373–385, 1997.

- [295] V. Krishnamurthy and M. Levoy. Fitting smooth surfaces to dense polygon meshes. *Computer Graphics*, pages 313–324, 1996.
- [296] G. Kühne, J. Weickert, M. Beier, and W. Effelsberg. Fast implicit active contour models. In L. Van Gool, editor, *Pattern Recognition*. Springer, 2002.
- [297] G. Kühne, J. Weickert, O. Schuster, and S. Richter. A tensor-driven active contour model for moving object segmentation. In *IEEE International Conference on Image Processing*, volume 2, pages 73–76, 2001.
- [298] K. Kutulakos and S. Seitz. A Theory of Shape by Space Carving. *International Journal of Computer Vision*, 38:199–218, 2000.
- [299] M. Lades, C. Borbruggen, J. Buhmann, C. von der Malsburg, R. Wurtz, and W. Konen. Distortion invariant object recognition in the dynamic link architecture. *IEEE Transactions on Computers*, 42:300–311, 1993.
- [300] O. Ladyzhenskaya, V. Solonnikov, and N. Uraltseva. *Linear and quasilinear equations of parabolic type*. American Mathematical Society, 1968.
- [301] D. Laidlaw, W. Trumbore, and J. Hughes. Constructive Solid Geometry for Polyhedral Objects. In *ACM SIGGRAPH*, pages 161–170, 1986.
- [302] L. Landau and E. Lifshitz. *Fluid Mechanics*. Butterworth Heinemann, 1959.
- [303] A. Laurentini. The Visual Hull Concept for Silhouette-Based Image Understanding. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16:150–162, 1994.
- [304] S. Lavallée and R. Szeliski. Recovery of the Position and Orientation of free-form Objects from Image Contours using 3D Distance Maps. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17:378–390, 1995.
- [305] H. Le and D. Kendall. The Riemannian structure of Euclidean shape spaces: a novel environment for statistics. *The Annals of Statistics*, 4216:1225–1271, 1993.
- [306] Y. Leclerc. Constructing Simple Stable Description for Image Partitioning. *International Journal of Computer Vision*, 3:73–102, 1989.
- [307] C. Leonard, C. Williams, R. Nicholls, O. Agee, K. Voeller, J. Honeyman, and E. Staab. Angelman and prader-willi syndrome. A magnetic resonance imaging study of differences in cerebral structure. *American Journal of Medical Genetics*, 46:26–33, 1993.
- [308] G. P. Leonardi and I. Tamanini. On Minimizing Partitions with Infinitely Many Components. *Annali dell'Universit di Ferrara - Sez. VII - Sc. Mat.*, XLIV:41–57, 1998.
- [309] M. Leventon, E. Grimson, and O. Faugeras. Level Set Based Segmentation with Intensity and Curvature Priors. In *IEEE Mathematical Methods in Biomedical Image Analysis*, pages 4–11, 2000.
- [310] M. Leventon, E. Grimson, and O. Faugeras. Statistical Shape Influence in Geodesic Active Contours. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages I:316–322, 2000.
- [311] R.J. LeVeque. *Numerical Method for Conservation Laws*. Birkhauser, 1992.
- [312] J. Liang, T. McInerney, and D. Terzopoulos. United Snakes. In *IEEE International Conference in Computer Vision*, pages 933–940, 1999.

- [313] S. Liapis, E. Sifakis, and G. Tziritas. Color and texture segmentation using deterministic relaxation and fast marching algorithms. In *IARP International Conference on Pattern Recognition*, pages 621–624, 2000.
- [314] S. Liapis, E. Sifakis, and G. Tziritas. Colour and texture segmentation using wavelet frame analysis, deterministic relaxation and fast marching algorithms. *Journal of Visual Communication and Image Representation*, to appear.
- [315] P.-L. Lions. Une Inégalité pour les Opérateurs Elliptiques du Second Ordre. *Annali di Matematica Pura ed Applicata*, CXXVII:1–11, 1981.
- [316] P. Lipson, A. Yuille, D. Okeefe, J. Cavanaugh, J. Taaffe, and D. Rosenthal. Deformable Templates for feature extraction from Medical Images. In *European Conference on Computer Vision*, pages 413–417, 1990.
- [317] J.-L. Lisani, P. Monasse, and L. Rudin. Fast Shape Extraction and Applications. Submitted: *IEEE Transaction on Pattern Analysis and Machine Intelligence*.
- [318] X.-D. Liu, S. Osher, and T. Chan. Weighted Essentially Non-Oscillatory Schemes. *Journal of Computational Physics*, 126:202–212, 1996.
- [319] L. Ljung. *System Identification: theory for the user*. Prentice Hall, 1987.
- [320] W. Lorensen and H. Cline. Marching cubes: a high resolution 3D surface construction algorithm. In *ACM SIGGRAPH*, volume 21, pages 163–170, 1987.
- [321] L. Lorigo, O. Faugeras, E. Grimson, R. Keriven, R. Kikinis, A. Nabavi, and C. Westin. Co-Dimension 2 Geodesic Active Contours for MRI Segmentation. In *Information Processing in Medical Imaging*, pages 126–139, 1999.
- [322] L. Lorigo, O. Faugeras, E. Grimson, R. Keriven, R. Kikinis, A. Nabavi, and C. Westin. Codimension-Two Geodesic Active Contours for the Segmentation of Tubular Structures. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages I:444–451, 2000.
- [323] D. Lowe. Robust Model-based Motion Tracking through the Integration of Search and Estimation. *International Journal of Computer Vision*, 8:113–122, 1992.
- [324] T. Lu, P. Neittaanmäki, and X.-C. Tai. A parallel splitting up method and its application to Navier–Stokes equations. *Applied Mathematics Letters*, 4:25–29, 1991.
- [325] T. Lu, P. Neittaanmäki, and X.-C. Tai. A parallel splitting up method for partial differential equations and its application to Navier-Stokes equations. *RAIRO Mathematical Modeling and Numerical Analysis*, 26:673–708, 1992.
- [326] B. Lucas and T. Kanade. An Iterative Image Registration Technique with an Application to Stereo Vision. In *International Joint Conference on Artificial Intelligence*, pages 674–679, 1981.
- [327] D. MacDonald, N. Kabani, D. Avis, and A. Evans. Automated 3-D Extraction of Inner and Outer Surfaces of Cerebral Cortex from MRI. *NeuroImage*, 12:340–356, 2000.
- [328] J. Maintz and M. Viergever. A Survey for Medical Image Registration. *Medical Image Analysis*, 2:1–36, 1998.
- [329] R. Malladi, J. Sethian, and B. Vemuri. A topology independent shape modeling scheme. In *Geometric Methods in Computer Vision II*, pages 246–256, 1993.

- [330] R. Malladi, J. Sethian, and B. Vemuri. Evolutionary fronts for topology independent shape modeling and recovery. In *European Conference on Computer Vision*, pages 1–13, 1994.
- [331] R. Malladi, J. Sethian, and B. Vemuri. Shape Modeling with Front Propagation: A Level Set Approach. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17:158–175, 1995.
- [332] A. Mansouri. Region Tracking via Level Set PDEs without Motion Computation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 24:947–961, 2002.
- [333] P. Maragos. Pattern Spectrum and Multiscale Shape Representation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1:701–716, 1989.
- [334] P. Maragos. Differential Morphology and Image Processing. *IEEE Transactions on Image Processing*, 5:922–937, 1996.
- [335] P. Maragos. Algebraic and PDE Approaches for Lattice Scale-Spaces with Global Constraints. *International Journal of Computer Vision*, 2003.
- [336] P. Maragos and M. Butt. Curve Evolution, Differential Morphology and Distance Transforms as Applied to Multiscale and Eikonal Problems. *Fundamentale Informatica*, 41:91–129, 2000.
- [337] R. March. Visual Reconstruction with Discontinuities Using Variational Methods. *Imaging and Vision Computing*, 10:30–38, 1992.
- [338] G. Marchuk. Splitting and alternating direction methods. In P. Ciarlet and J.-L. Lions, editors, *Handbook of Numerical Analysis*, volume I, pages 197–462. North Holland, 1990.
- [339] K. Mardia and I. Dryden. Shape distributions for landmark data. *Advances in Applied Probability*, 4:742–755, 1989.
- [340] G. Markstein. *Nonsteady Flame Propagation*. Pergamon Press, 1964.
- [341] A. Marquina and S. Osher. Explicit Algorithms for a New Time Dependant Model Based on Level Set Motion for Nonlinear Deblurring and Noise Removal. *SIAM Journal on Scientific Computing*, 22:387–405, 2001.
- [342] D. Marr. *Vision*. Freeman, 1982.
- [343] D. Marr and E. Hildreth. Theory of Edge Detection. *Proceedings of the Royal Society London*, 207:187–217, 1980.
- [344] A. Martelli. Edge Detection Using Heuristic Search Methods. *Computer Vision, Graphics and Image Processing*, 1:169–182, 1972.
- [345] S. Masnou and J.-M. Morel. Level lines based disocclusion. In *IEEE International Conference on Image Processing*, pages 3:259–263, 1998.
- [346] U. Massari and I. Tamanini. On the Finiteness of Optimal Partitions. *Annali dell’Università di Ferrara - Sez. VII - Sc. Mat.*, XXXIX:167–185, 1993.
- [347] G. Matheron. *Random Sets and Integral Geometry*. John Wiley & Sons, 1975.
- [348] G. Matheron. Les Nivellements. Technical report, Centre de Morphologie Mathématique, France, 1997.
- [349] S. Mauch. Closest Point Transform. Technical report, Caltech, 2000.
- [350] T. McInerney and D. Terzopoulos. A finite element model for 3D shape reconstruction and nonrigid motion tracking. In *IEEE International Conference in Computer Vision*, pages 518–523, 1993.

- [351] T. McInerney and D. Terzopoulos. A Dynamic Finite Element Surface Model for Segmentation and Tracking in Multidimensional Medical Images with Application to Cardiac 4D Image Analysis. *Computerized Medical Imaging and Graphics*, 19:69–83, 1995.
- [352] T. McInerney and D. Terzopoulos. Deformable Models in Medical Image Analysis: A Survey. *Medical Image Analysis*, 1:91–108, 1996.
- [353] T. McInerney and D. Terzopoulos. Topology Adaptive Deformable Surfaces for Medical Image Volume Segmentation. *IEEE Transactions on Medical Imaging*, 18:840–850, 1999.
- [354] T. McInerney and D. Terzopoulos. T-snakes: Topology Adaptive Snakes. *Medical Image Analysis*, 4:73–91, 2000.
- [355] T. McInerney and D. Terzopoulos. Topologically Adaptable Snakes. In *IEEE International Conference in Computer Vision*, pages 840–845, 1995.
- [356] G. McLachlan, D. Peel, and W. Whiten. Maximum likelihood clustering via normal mixture model. *Signal Processing: Image Communication*, 8:105–111, 1996.
- [357] T. Meis and U. Marcowitz. *Numerische Behandlung partieller Differentialgleichungen*. Springer, 1978.
- [358] F. Mémoli and S. Sapiro, G. abd Osher. Solving variational problems and partial differential equations mapping into general target manifolds. Technical Report 1827, IMA, University of Minnesota, 2002.
- [359] B. Merriman, J. Bence, and S. Osher. Diffusion generated motion by mean curvature. In *Workshop on Computational Crystal Growers*, pages 73–83, 1992.
- [360] D. Metaxas. *Physics-Based Deformable Models*. Kluwer Academic Publishers, 1996.
- [361] D. Metaxas and D. Terzopoulos. Constrained deformable superquadrics and nonrigid motion tracking. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 337–343, 1991.
- [362] D. Metaxas and D. Terzopoulos. Dynamic Deformation of Solid Primitives with Constraints. In *ACM SIGGRAPH*, pages 309–312, 1992.
- [363] D. Metaxas and D. Terzopoulos. Shape and Nonrigid Motion Estimation Through Physics-Based Synthesis. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 15:580–591, 1993.
- [364] F. Meyer and P. Bouthemy. Region-Based Tracking Using Affine Motion Models in Long Image Sequences. *CVGIP: Image Understanding*, 60:119–140, 1994.
- [365] F. Meyer and J. Serra. Contrasts and Activity Lattice. *Signal Processing*, 16:303–317, 1989.
- [366] Y. Meyer. The Levelings. In *Mathematical Morphology and Its Applications to Image and Signal Processing*. Kluwer Academic Publishers, 1998.
- [367] Y. Meyer. Fast computation of a contrast-invariant image representation. *IEEE Transactions on Image Processing*, 9:860–872, 2000.
- [368] Y. Meyer. Oscillating Patterns in Image Processing and Nonlinear Evolution Equations. *American Mathematics Society, University Lecture Series*, 22:136, 2002.
- [369] Y. Meyer and P. Maragos. Nonlinear PDE's and Numerical Algorithms for Modeling Levelings and Reconstruction Filters. In *International Conference on Scale-Space Theories in Computer Vision*, pages 363–374, 1999.

- [370] Y. Meyer and P. Maragos. Nonlinear Scale-Space Representation with Morphological Levelings. *Journal of Visual Communication and Image Representation*, 11:245–265, 2000.
- [371] M. Miller and L. Younes. Group action, diffeomorphism and matching: a general framework. In *Statistical and Computational Theories of Vision*, Fort Collins, Colorado, 1999.
- [372] A. Mitchell and D. Griffiths. *The Finite Difference Method in Partial Differential Equations*. Wiley, 1980.
- [373] A. Mittal and D. Huttenlocher. Scene Modeling for Wide Area Surveillance and Image Synthesis. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 2160–2167, 2000.
- [374] L. Moisan. Affine Plane Curve Evolution: A Fully Consistent Scheme. *IEEE Transactions on Image Processing*, 7:411–420, 1998.
- [375] P. Monasse. Contrast Invariant Image Registration. In *International Conference on Acoustics, Speech and Signal Processing*, volume 6, pages 3221–3224, 1999.
- [376] P. Monasse. *Contrast Invariant Representation of Digital Images and Application to Registration*. PhD thesis, Ceremade, University Paris 9–Dauphine, 2000.
- [377] O. Monga, S. Benayoun, and O. Faugeras. From partial derivatives of 3D density images to ridge line. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 354–359, 1992.
- [378] U. Montanari. On the Optimal Detection of Curves in Noisy Pictures. *ACM Communications*, 14:335–345, 1971.
- [379] J.-M. Morel and S. Solimini. Segmentation of images by variational methods: a constructive approach. *Revista Matemática de la Universidad Complutense de Madrid*, 1:169–182, 1988.
- [380] J.-M. Morel and S. Solimini. Segmentation d’images par méthode variationnelle: une preuve constructive d’existence. *C.R. Académie de Science de Paris Série I*, 308:465–470, 1989.
- [381] J.-M. Morel and S. Solimini. *Variational Methods in Image Segmentation: with Seven Image Processing Experiments*. Birkhäuser, 1994.
- [382] J.-M. Morel and S. Solimini. *Variational Methods in Image Segmentation*. Birkhäuser, 1995.
- [383] H. Moreton and C. Séquin. Functional minimization or fair surface design. In *ACM SIGGRAPH*, pages 167–176, 1992.
- [384] K. Morton and L. Mayers. *Numerical Solution of Partial Differential Equations*. Cambridge University Press, 1994.
- [385] D. Mumford. Mathematical theories of shape: do they model perception? In *Geometric Methods in Computer Vision*, pages 2–10, 1991.
- [386] D. Mumford, N. Nitzberg, and T. Shiota. Filtering, Segmentation and Depth. *Lecture Notes in Computer Science*, 662, 1993.
- [387] D. Mumford and J. Shah. Boundary detection by minimizing functionals. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 22–26, 1985.
- [388] D. Mumford and J. Shah. Optimal Approximation by Piecewise Smooth Functions and Associated Variational Problems. *Communications on Pure and Applied Mathematics*, 42:577–685, 1989.

- [389] S. Muraki. Volumetric Shape Description of Range Data Using "Blobby Model". In *ACM SIGGRAPH*, volume 25, pages 227–235, 1991.
- [390] B. Natarajan. On generating Topologically Consistent Isosurfaces from Uniform Samples. *Visual Computer*, 11:52–62, 1994.
- [391] D. Nguyen, R. Fedkiw, and H. Jensen. Physically Based Modeling and Animation of Fire. In *ACM SIGGRAPH*, pages 721 – 728, 2002.
- [392] D. Nguyen, R. Fedkiw, and M. Kang. A Level Set Approach for Computing Solutions to Incompressible Two-Phase Flow. *Journal of Computational Physics*, 172:71–98, 2001.
- [393] P. Ning and J. Bloomenthal. An evaluation of Implicit Surface Tilers. *IEEE Computer Graphics and Applications*, 13:33–41, 1993.
- [394] J.-M. Odobez and P. Bouthemy. Robust multiresolution estimation of parametric motion models. *Journal of Visual Communication and Image Representation*, 6:348–365, 1995.
- [395] S. Osher. Riemann solvers, the entropy condition, and difference approximations. *SIAM Journal in Numerical Analysis*, 21:217–235, 1984.
- [396] S. Osher, L.-T. Cheng, M. Kang, H. Shim, and Y.-H. Tsai. Geometric Optics in a Phase Space and Eulerian Framework. *Journal of Computational Physics*, 2001. to appear.
- [397] S. Osher and R. Fedkiw. Level set methods: An Overview and Some Recent Results. *Journal of Computational Physics*, pages 463–502, 2001.
- [398] S. Osher and R. Fedkiw. *The Level Set Method and Dynamic Implicit Surfaces*. Springer, 2002.
- [399] S. Osher and M. Kang. Private Communication.
- [400] S. Osher and L. Rudin. Feature-oriented image enhancement using shock filters. *SIAM Journal of Numerical Analysis*, 27:919–940, 1990.
- [401] S. Osher and J. Sethian. Fronts propagating with curvature-dependent speed : Algorithms based on the Hamilton-Jacobi formulation. *Journal of Computational Physics*, 79:12–49, 1988.
- [402] S. Osher and C.-W. Shu. High Order Essentially Non-Oscillatory Schemes for Hamilton-Jacobi Equations. *Journal of Computational Physics*, 28:902–921, 1991.
- [403] C. Papin, P. Bouthemy, E. Mémin, and G. Rochard. Tracking and characterization of highly deformable cloud structures. In *European Conference on Computer Vision*, pages II: 428–442, 2000.
- [404] N. Paragios. *Geodesic Active Regions and Level Set Methods: Contributions and Applications in Artificial Vision*. PhD thesis, I.N.R.I.A./University of Nice-Sophia Antipolis, 2000. <http://www.inria.fr/RRRT/TU-0636.html>.
- [405] N. Paragios. A Variational Approach for the Segmentation of the Left Ventricle in Cardiac Image Analysis. *International Journal of Computer Vision*, 50:345–362, 2002.
- [406] N. Paragios. Shape-based Segmentation and Tracking in Cardiac Image Analysis. *IEEE Transactions on Medical Imaging*, 2003. To appear.
- [407] N. Paragios and R. Deriche. A PDE-based Level Set approach for Detection and Tracking of moving objects. In *IEEE International Conference in Computer Vision*, pages 1139–1145, 1998.

- [408] N. Paragios and R. Deriche. Geodesic Active Regions for Motion Estimation and Tracking. In *IEEE International Conference in Computer Vision*, pages 688–674, 1999.
- [409] N. Paragios and R. Deriche. Geodesic Active Regions for Supervised Texture Segmentation. In *IEEE International Conference in Computer Vision*, pages 926–932, 1999. Previous: INRIA Research Report, RR 3440, June 1998, <http://www.inria.fr/RRRT/RR-3440.html>.
- [410] N. Paragios and R. Deriche. Unifying Boundary and Region-based Information for Geodesic Active Tracking. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages II:300–305, 1999.
- [411] N. Paragios and R. Deriche. Coupled Geodesic Active Regions for Image Segmentation: A Level Set Approach. In *European Conference in Computer Vision*, pages II:224–240, 2000. Previous: INRIA Research Report, RR 3783, October 1999, <http://www.inria.fr/RRRT/RR-3783.html>.
- [412] N. Paragios and R. Deriche. Geodesic Active Contours and Level Sets for the Detection and Tracking of Moving Objects. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22:266–280, 2000.
- [413] N. Paragios and R. Deriche. Geodesic Active Regions: A New Framework to Deal with Frame Partition Problems in Computer Vision. *Journal of Visual Communication and Image Representation*, 13:249–268, 2002.
- [414] N. Paragios and R. Deriche. Geodesic Active Regions Level Set Methods for Supervised Texture Segmentation. *International Journal of Computer Vision*, 46(3):223–247, 2002.
- [415] N. Paragios, O. Mellina-Gottardo, and V. Ramesh. Gradient Vector Flow Fast Geodesic Active Contours. In *IEEE International Conference in Computer Vision*, pages I:67–73, 2001.
- [416] N. Paragios, M. Rousson, and V. Ramesh. Matching Distance Functions: A Shape-to-Area Variational Approach for Global-to-Local Registration. In *European Conference on Computer Vision*, pages II:775–790, 2002.
- [417] N. Paragios, M. Rousson, and V. Ramesh. Non-Rigid Registration Using Distance Functions. *Computer Vision and Image Understanding*, 2003. to appear.
- [418] N. Paragios and G. Tziritas. Adaptive Detection and Localization of Moving Objects in Image Sequences. *Signal Processing: Image Communication*, 14:277–296, 1999.
- [419] A. Pasko, V. Adzhiev, A. Sourin, and V. Savchenko. Function representation in geometric modeling: concepts, implementation and applications. *The Visual Computer*, 11:429–446, 1995.
- [420] T. Pavlidis. *Algorithms for Graphics and Image Processing*. Computer Science Press, 1982.
- [421] D. Peng, B. Merriman, S. Osher, H.-K. Zhao, and M. Kang. A PDE-Based Fast Local Level Set Method. *Journal of Computational Physics*, 155:410–438, 1999.
- [422] P. Perona. Orientation Diffusion. *IEEE Transactions on Image Processing*, 7:457–467, 1998.
- [423] P. Perona and J. Malik. Scale space and edge detection using anisotropic diffusion. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12:629–639, 1990.

- [424] P. Perona, T. Shiota, and J. Malik. Anisotropic Diffusion. In *Geometry-Driven Diffusion in Computer Vision*. Kluwer Academic Publishers, 1994.
- [425] R. Perry and S. Frisken. Kizamu: A System for Sculpting Digital Characters. In *ACM SIGGRAPH*, pages 47–56, 2001.
- [426] D. Pham and J. Prince. Adaptive fuzzy segmentation of magnetic resonance images. *IEEE Transactions on Medical Imaging*, 18:737–752, 1999.
- [427] L. Piegl and W. Tiller. *The NURBS book*. Springer-Verlag, second edition edition, 1997.
- [428] E. Praun, A. Finkelstein, and H. Hoppe. Lapped Textures. In *ACM SIGGRAPH*, pages 465 – 470, 2000.
- [429] H. Qin and D. Terzopoulos. Dynamic NURBS Swung Surfaces for Physics-Based Shape Design. *Computer-Aided Design*, 27:111–127, 1995.
- [430] H. Qin and D. Terzopoulos. Triangular NURBS and their Dynamic Generalizations. *Computer-Aided Geometric Design*, 14:325–347, 1997.
- [431] T. Reiss. *Recognizing Planar Objects Using Invariant Image Features*. Springer Verlag, 1993.
- [432] P. Remagnino, G. Jones, N. Paragios, and C. Regazzoni. *Video-Based Surveillance Systems: Computer Vision and Distributed Processing*. Kluwer Academic Publishers, 2001.
- [433] A. Requicha and H. Voelcker. Boolean Operations in Solid Modeling: Boundary Evaluation and Merging Algorithms. *Proceedings of the IEEE*, 73:30–44, 1985.
- [434] S. Resnick, A. Goldszal, C. Davatzikos, S. Golski, M. Kraut, E. Metter, R. Bryan, and A. Zonderman. One-year age changes in MRI brain volumes in older adults. *Cerebral Cortex*, 10:464–472, 2000.
- [435] J. Rexilius. Anisotrope nichtlineare Diffusion für die Bildverarbeitung. Technical Report B-99-07, Institute of Mathematics and Computer Science, Medical University of Lübeck, 1999.
- [436] T. Richardson. *Scale independent piecewise smooth segmentation of images via variational methods*. PhD thesis, M.I.T., 1989.
- [437] L. Robert and R. Deriche. Dense Depth Map Reconstruction: A Minimization and Regularization Approach which Preserves Discontinuities. In *European Conference on Computer Vision*, pages I:439–451, 1996.
- [438] L. Robert, R. Deriche, and O. Faugeras. Dense Depth Recovery From Stereo Images. In *European Conference on Artificial Intelligence*, pages 821–823, 1992.
- [439] D. Rogers. *An Introduction to NURBS*. Morgan Kaufmann, 2000.
- [440] R. Ronfard. Region-based strategies for active contour models. *International Journal of Computer Vision*, 13:229–251, 1994.
- [441] J. Rosen. The Gradient Projection Method for Nonlinear Programming: Part II, Nonlinear Constraints. *Journal of Society for Industrial and Applied Mathematics*, 9:514–532, 1961.
- [442] A. Rosenfeld and J. Pfaltz. Distance Functions on Digital Pictures. *Pattern Recognition*, 1:33–61, 1968.

- [443] M. Rousson and R. Deriche. A Variational Framework for Active and Adaptive Segmentation of Vector Valued Images. Technical Report 4515, INRIA, France, 2002.
- [444] M. Rousson and N. Paragios. Shape Priors for Level Set Representations. In *European Conference on Computer Vision*, pages II:78–93, Copenhagen, Denmark, 2002.
- [445] E. Rouy and A. Tourin. A Viscosity Solutions Approach to Shape-from-Shading. *SIAM Journal on Numerical Analysis*, 29:867–884, 1992.
- [446] L. Rudin. Images, Numerical Analysis of Singularities and Shock Filters. Technical Report 5250, California Institute of Technology, 1987.
- [447] L. Rudin and S. Osher. Reconstruction and Enhancement of Signals Using Nonlinear Non-Oscillatory Variational Methods. Technical Report 7, Cognitech, 1990.
- [448] L. Rudin and S. Osher. Total Variational Based Image Restoration with Free Local Constraints. In *IEEE International Conference on Image Processing*, pages 31–35, 1994.
- [449] L. Rudin, S. Osher, and E. Fatemi. Nonlinear Total Variation Based Noise Removal. *Physica D*, 60:259–268, 1992.
- [450] L. Rudin, S. Osher, and C. Fu. Total Variation Based Restoration of Noisy, Blurred Images. *SIAM Journal of Numerical Analysis* - accepted for publication, 1993.
- [451] D. Rueckert, L.I. Sonda, C. Hayes, D. Hill, M. Leach, and D. Hawkes. Nonrigid registration using free-form deformations: Application to breast MR images. *IEEE Transactions on Medical Imaging*, 18:712–721, 1999.
- [452] S. Ruuth, B. Merriman, and S. Osher. Convolution generated motion as a link between cellular automata and continuum pattern dynamics. *Journal of Computational Physics*, 151:836–861, 1999.
- [453] Y. Saad. *Iterative Methods for Sparse Linear Systems*. Thomson Learning, 1996.
- [454] P. Salembier. Overview of the MPEG-7 standard and of future challenges for visual information analysis. *EURASIP Journal on Applied Signal Processing*, pages 343–353, 2002.
- [455] P. Salembier and J. Serra. Flat Zones Filtering, Connected Operators, and Filters by Reconstruction. *IEEE Transactions on Image Processing*, pages 1153–1160, 4.
- [456] C. Samson, L. Blanc-Feraud, G. Aubert, and J. Zerubia. A Level Set Model for Image Classification. In *International Conference on Scale-Space Theories in Computer Vision*, pages 306–317, 1999.
- [457] C. Samson, L. Blanc-Feraud, G. Aubert, and J. Zerubia. A Level Set Model for Image Classification. *International Journal of Computer Vision*, 40:187–197, 2000.
- [458] G. Sapiro. *Geometric Partial Differential Equations in Image Processing*. Cambridge University Press, 2001.
- [459] G. Sapiro, R. Kimmel, D. Shaked, B. Kimia, and A. Bruckstein. Implementing Continuous-scale Morphology via Curve Evolution. *Pattern Recognition*, 26:1363–1372, 1993.
- [460] G. Sapiro and D. Ringach. Anisotropic diffusion of multivalued images with applications to color filtering. *IEEE Transactions on Image Processing*, 5:1582–1585, 1996.

- [461] G. Sapiro and A. Tannenbaum. Affine Invariant Scale Space. *International Journal of Computer Vision*, 11:25–44, 1993.
- [462] G. Sapiro and A. Tannenbaum. Area and length preserving geometric invariant scale-space. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17:67–72, 1995.
- [463] V. Savchenko, A. Pasko, O. Okunev, and T. Kunii. Function Representation of Solids Reconstructed from Volume. *Computer Graphics Forum*, 14:181–188, 1995.
- [464] H. Schwarz. *Numerische Mathematik*. Teubner, 1988.
- [465] T. Sebastian, P. Klein, and B. Kimia. Recognition of Shapes by Editing Shock Graphs. In *IEEE International Conference in Computer Vision*, pages 755–762, 2001.
- [466] R. Sedgewick. *Algorithms in C++: Fundamentals, Data Structures, Sorting, Searching*. Addison-Wesley, 1988.
- [467] J. Serra. *Image Analysis and Mathematical Morphology*. Academic Press, 1982.
- [468] J. Serra. *Image Analysis and Mathematical Morphology*, volume 2. Academic Press, 1982.
- [469] J. Serra. Connections for Sets and Functions. *Fundamentae Informatica*, 41:147–186, 2000.
- [470] J. Sethian. Curvature and the evolution of fronts. *Communications in Mathematical Physics*, 101:487–499, 1985.
- [471] J. Sethian. A Review of the Theory, Algorithms, and Applications of Level Set Methods for Propagating Interfaces. *Cambridge University Press*, pages 487–499, 1995.
- [472] J. Sethian. *Level Set Methods*. Cambridge University Press, 1996.
- [473] J. Sethian. A Marching Level Set Method for Monotonically Advancing Fronts. *Proceedings of the National Academy of Science*, 93:1591–1595, 1996.
- [474] J. Sethian. Theory, algorithms, and applications of level set methods for propagating interfaces. *Acta Numerica*, pages 309–395, 1996.
- [475] J. Sethian. Fast Marching Methods. *SIAM Review*, 41:199–235, 1999.
- [476] J. Sethian. *Level Set Methods and Fast Marching Methods*. Cambridge University Press, second edition edition, 1999.
- [477] J. Shah. A Common Framework for Curve Evolution, Segmentation and Anisotropic Diffusion. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 136–142, 1996.
- [478] J. Shah. Riemannian Drums, Anisotropic Curve Evolution, and Segmentation. In *International Conference on Scale-Space Theories in Computer Vision*, pages 129–140, 1999.
- [479] J. Shi and J. Malik. Normalized Cuts and Image Segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22:888–905, 2000.
- [480] C. Shu and S. Osher. Efficient Implementation of Essentially Non-Oscillatory Shock Capturing Schemes. *Journal of Computational Physics*, 77:439–471, 1988.
- [481] C. Shu and S. Osher. Implementation of Essentially Non-Oscillatory Shock Capturing Schemes II. *Journal of Computational Physics*, 83:32–78, 1989.

- [482] K. Siddiqi, Y.-B. Lauziere, A. Tannenbaum, and S. Zucker. Area and Length Minimizing Flow for Shape Segmentation. *IEEE Transactions on Image Processing*, 7:433–443, 1998.
- [483] K. Siddiqi, A. Shokoufandeh, S. Dickinson, and S. Zucker. Shocks Graphs and Shape Matching. *International Journal of Computer Vision*, 35:13–32, 1999.
- [484] E. Sifakis, C. Garcia, and G. Tziritas. Bayesian Level Sets for Image Segmentation. *Journal of Visual Communication and Image Representation*, 13:44–64, 2002.
- [485] E. Sifakis, I. Grinias, and G. Tziritas. Video segmentation using fast marching and region growing algorithms. *EURASIP Journal on Applied Signal Processing*, pages 379–388, 2002.
- [486] E. Sifakis and G. Tziritas. Fast marching to moving object location. In *International Conference on Scale-Space Theories in Computer Vision*, pages 447–452, 1999.
- [487] E. Sifakis and G. Tziritas. Moving object localisation using a multi-label fast marching algorithm. *Signal Processing: Image Communication*, 16:963–976, 2001.
- [488] T. Sikora. The MPEG-4 video standard verification model. *IEEE Transactions on Circuits and Systems for Video Technology*, 7:19–31, 1997.
- [489] L. Simon. *Lectures on Geometric Measure Theory*. Australian National University, 1984.
- [490] N. Sochen, R. Kimmel, and R. Malladi. A general framework for low level vision. *IEEE Transactions on Image Processing*, 7:310–318, 1998.
- [491] P. Souganidis. Approximation Schemes for Viscosity Solutions of Hamilton-Jacobi Equations. *Journal of Differential Equations*, 59:1–43, 1985.
- [492] L. Staib and S. Duncan. Boundary finding with parametrically deformable models. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14:1061–1075, 1992.
- [493] J. Stam. Stable Fluids. In *ASM SIGGRAPH*, pages 121–128, 1999.
- [494] J. Stam and E. Fiume. Turbulent Wind Fields for Gaseous Phenomena. In *ACM SIGGRAPH*, pages 369–376, 1993.
- [495] A. Staniforth and J. Cote. Semi-Lagrangian Integration Schemes for Atmospheric Models - A Review. *Monthly Weather Review*, 119:2206–2223, 1991.
- [496] C. Stauffer and W. Grimson. Adaptive Background Mixture Models for Real-time Tracking. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages II:246–252, Colorado, USA, 1999.
- [497] J. Steinhoff and D. Underhill. Modification of the Euler Equations for vorticity confinement: Application to the Computation of Interacting Vortex Rings. *Physics of Fluids*, 6:2738–2744, 1994.
- [498] J. Strain and J. Sethian. Crystal growth and dendritic solidification. *Journal of Computational Physics*, 98:231–253, 1992.
- [499] M. Struwe. On the evolution of harmonic mappings of riemannian surfaces. *Comment. Math. Helvetici*, pages 558–581, 1985.
- [500] M. Sussman, A. Almgren, J. Bell, P. Colella, L. Howell, and M. Welcome. An adaptive level set approach for incompressible two-phase flow. *Journal of Computational Physics*, 148:81–124, 1999.

- [501] M. Sussman, P. Smereka, and S. Osher. A Level Set Method for Computing Solutions to Incompressible Two-Phase Flow. *Journal of Computational Physics*, 114:146–159, 1994.
- [502] H. Tagare. Deformable 2-D template matching using orthogonal curves. *IEEE Transactions on Medical Imaging*, pages 108–117, 1997.
- [503] I. Tamanini. Optimal Approximation by Piecewise Constant Functions. *Progress in Nonlinear Differential Equations and Their Applications*, pages 73–85, 1996.
- [504] I. Tamanini and G. Congedo. Optimal Segmentation of Unbounded Functions. *Rend. Sem. Mat. Univ. Padova*, pages 153–174, 1996.
- [505] B. Tang, G. Sapiro, and V. Caselles. Diffusion of general data on non-flat manifolds via harmonic maps theory: The direction diffusion case. *International Journal of Computer Vision*, 36:149–161, 2000.
- [506] B. Tang, G. Sapiro, and V. Caselles. Color Image Enhancement via Chromaticity Diffusion. *IEEE Transactions on Image Processing*, 10:701–707, 2001.
- [507] G. Taubin. Estimation of planar curves, surfaces, and nonplanar space curves defined by implicit equations with applications to edge and range image segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13:1115–1138, 1991.
- [508] G. Taubin. Estimating the tensor of curvature of a surface from a polyhedral approximation. In *IEEE International Conference in Computer Vision*, pages 852–857, 1995.
- [509] G. Taubin. A signal processing approach to fair surface design. In *ACM SIGGRAPH*, pages 351–358, 1995.
- [510] H. Tek and B. Kimia. Image Segmentation by Reaction-Diffusion Bubbles. In *IEEE International Conference in Computer Vision*, pages 156–162, 1995.
- [511] R. Temam. Sur l’approximation de la solution des équations de Navier–Stokes par la méthode de pas fractionnaires (I). *Archive for Rational Mechanics and Analysis*, 32:135–153, 1969.
- [512] D. Terzopoulos. On Matching Deformable Models to Images. Technical Report 60, Schlumberger Palo Alto Research, 1986.
- [513] D. Terzopoulos. The Computation of Visible-Surface Representations. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(4):417–438, 1988.
- [514] D. Terzopoulos and K. Fleischer. Deformable Models. *The Visual Computer*, 4:306–331, 1988.
- [515] D. Terzopoulos and K. Fleischer. Modeling Inelastic Deformation: Viscoelasticity, Plasticity, Fracture. In *ACM SIGGRAPH*, pages 269–278, 1988.
- [516] D. Terzopoulos and D. Metaxas. Dynamic 3D Models with Local and Global Deformations: Deformable Superquadrics. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(7):703–714, 1991.
- [517] D. Terzopoulos, J. Platt, A. Barr, and K. Fleischer. Elastically Deformable Models. In *ACM SIGGRAPH*, pages 205–214, 1987.
- [518] D. Terzopoulos and H. Qin. Dynamic NURBS with Geometric Constraints for Interactive Sculpting. *ACM Transactions on Graphics*, 13:103–136, 1994.
- [519] D. Terzopoulos and R. Szeliski. Tracking with Kalman Snakes. In A. Blake and A. Yuille, editors, *Active Vision*, pages 3–20. MIT Press, 1992.

- [520] D. Terzopoulos, A. Witkin, and M. Kass. Constraints on Deformable Models: Recovering 3D Shape and Nonrigid Motion. *Artificial Intelligence*, 36:91–123, 1988.
- [521] J.-P. Thirion. Image matching as a diffusion process: an analogy with maxwell's demons. *Medical Image Analysis*, 2:243–260, 1998.
- [522] R. Thom. *Structural Stability and Morphogenesis*. Benjamin; Reading, 1975.
- [523] D. Thompson. *On Growth and Form*. Dover, 1917.
- [524] Q. Tian and M. Huhns. Algorithms for Subpixel Registration. *Computer Vision, Graphics and Image Processing*, 35:220–233, 1986.
- [525] K. Toyama and A. Blake. Probabilistic Tracking in a Metric Space. In *IEEE International Conference in Computer Vision*, pages 50–59, 2001.
- [526] A. Tsai, A. Yezzi, W. Wells, C. Tempany, D. Tucker, A. Fan, A. Grimson, and A. Willsky. Model-based Curve Evolution Technique for Image Segmentation. In *IEEE Conference on Computer Vision and Pattern Recognition*, volume I, pages 463–468, 2001.
- [527] A. Tsai, A. Yezzi, and A. Willsky. A curve evolution approach to smoothing and segmentation using the Mumford-Shah functional. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 119–124, 2000.
- [528] A. Tsai, A. Yezzi, and A. Willsky. Curve evolution implementation of the Mumford-Shah functional for image segmentation, denoising, interpolation, and magnification. *IEEE Transactions on Image Processing*, 10:1169–1186, 2001.
- [529] R. Tsai. Rapid and Accurate Computation of the Distance Function Using Grids. *Journal of Computational Physics*, 178:175–195, 2002.
- [530] R. Tsai, P. Burchard, L.-T. Cheng, S. Osher, and G. Sapiro. Dynamic Visibility in an Implicit Framework. Technical Report 02-06, UCLA CAM Report, 2002.
- [531] R. Tsai, L.-T. Cheng, S. Osher, and H.-K. Zhao. Fast Sweeping Algorithms for a Class of Hamilton-Jacobi Equations. Technical Report 0127, UCLA CAM Report, 2001.
- [532] J. Tsitsiklis. Efficient Algorithms for Globally Optimal Trajectories. In *33rd Conference on Decision and Control*, pages 1368–1373, 1994.
- [533] J. Tsitsiklis. Efficient Algorithms for Globally Optimal Trajectories. *IEEE Transactions on Automatic Control*, 40:1528–1538, 1995.
- [534] A. Turing. The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society*, pages 37–72, 1952.
- [535] G. Turk. Generating textures on arbitrary surfaces using reaction-diffusion. *Computer Graphics*, 21:289–298, 1991.
- [536] G. Turk and J. O'Brien. Shape Transformation Using Variational Implicit Functions. In *ACM SIGGRAPH*, pages 335–342, 1999.
- [537] M. Turk and A. Pentland. Eigenfaces for recognition. *Journal of Cognitive Neuroscience*, 3:71–86, 1991.
- [538] S. Turns. *An Introduction to Combustion*. McGraw-Hill, 1996.
- [539] S. Twomey. On the numerical solution of fredholm integral equations of the first kind by the inversion of the linear system produced by quadrature. *Journal of the Association for Computing Machinery*, 10:97–101, 1963.

- [540] S. Twomey. The Application of Numerical Filtering to the Solution of Integral Equations Encountered in Indirect Sensing Measurements. *Journal of Franklin Institute*, 297:95–109, 1965.
- [541] M. Unser. Texture Classification and Segmentation using wavelet frames. *IEEE Transactions on Image Processing*, 4:1549–1560, 1995.
- [542] R. Varga. *Matrix Iterative Analysis*. Prentice Hall, 1962.
- [543] A. Vasilevskiy and K. Siddiqi. Flux Maximizing Geometric Flows. In *IEEE International Conference in Computer Vision*, pages I: 149–154, 2001.
- [544] R. Veltkamp and M. Hagedoorn. State-of-the-art in Shape Matching. Technical Report UU-CS-1999-27, Utrecht University, 1999. <http://webdoc.gwdg.de/ebook/ah/2000/techrep/CS-1997/1997-27.pdf>.
- [545] B. Vemuri and Y. Guo. Snake Pedals: Compact and Versatile Geometric Models with Physics-Based Control. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22:445–459, 2000.
- [546] B. Vemuri, S. Huang, S. Sahni, C.M. Leonard, C. Mohr, R. Gilmore, and J. Fitzsimmons. An efficient motion estimator with application to medical image registration. *Medical Image Analysis*, 2:79–98, 1998.
- [547] B. Vemuri, J. Ye, Y. Chen, and C. Leonard. A level-set based approach to image registration. In *IEEE Workshop on Mathematical Methods in Biomedical Image Analysis*, pages 86–93, June 2000.
- [548] B. Vemuri, J. Ye, Y. Chen, and C. Leonard. Image Registration via level-set motion: Applications to atlas-based segmentation. *Medical Image Analysis*, 2002.
- [549] L. Vese and T. Chan. Reduced Non-Convex Functional Approximations for Image Restoration & Segmentation. Technical Report 9756, UCLA CAM Report, 1997.
- [550] L. Vese and T. Chan. A study in the BV Space of a Denoising-Deblurring Variational Problem. *Applied Mathematics and Optimization*, 44:131–161, 2001.
- [551] L. Vese and T. Chan. A Multiphase Level Set Framework for Image Segmentation Using the Mumford and Shah Model. *International Journal of Computer Vision*, 50:271–293, 2002.
- [552] L. Vese and S. Osher. The Level Set Method Links Active Contours, Mumford-Shah Segmentation and Total Variation Restoration. Technical Report 0205, UCLA CAM Report, 2002.
- [553] L. Vese and S. Osher. Modeling Textures with Total Variation Minimization and Oscillating Patterns in Image Processing. Technical Report 0219, UCLA CAM Report, 2002. *Journal of Scientific Computing* (to appear).
- [554] L. Vincent. Morphological grayscale reconstruction in image analysis: Applications and efficient algorithms. *IEEE Transactions on Image Processing*, 2:176–201, 1993.
- [555] P. Viola and W. Wells. Alignment by Maximization of Mutual Information. In *IEEE International Conference in Computer Vision*, pages 16–23, 1995.
- [556] VLSM. 1st IEEE Workshop on Variational and Level Set Methods in Computer Vision. 2001. Faugeras, O. and Osher, S. and Paragios, N. and Sethian, J. (eds).
- [557] C. Vogel and M. Oman. Iterative methods for total variation denoising. *SIAM Journal on Scientific Computing*, 17:227–238, 1996.
- [558] C.Y. Wang, H. Sun, S. Yada, and A. Rosenfeld. Some Experiments in Relaxation Image Matching Using Corner Features. *Pattern Recognition*, 16:167–182, 1983.

- [559] J. Wang and E. Adelson. Representing Moving Images with Layers. *IEEE Transactions on Image Processing*, 3:625–638, 1994.
- [560] S. Wang and A. Kaufman. Volume-Sampled 3D Modeling. *IEEE Computer Graphics and Applications*, 14:26–32, 1994.
- [561] S. Wang and A. Kaufman. Volume Sculpting. In *Symposium on Interactive 3D Graphics*, pages 151–156, 1995.
- [562] Y. Wang and P. Bhattacharya. Hierarchical Stereo Correspondence Using Features of Gray Connected Components. In *IEEE International Conference on Image Processing*, pages 264–267, 1997.
- [563] Y. Wang and L. Staib. Boundary Finding with Correspondence using Statistical Shape Models. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 338–345, 1998.
- [564] Y. Wang and L. Staib. Elastic Model Based Non-rigid Registration Incorporating Statistical Shape Information. In *Medical Imaging Computing and Computer-Assisted Intervention*, pages 1162–1173, 1998.
- [565] J. Weickert. Scale-space properties of nonlinear diffusion filtering with a diffusion tensor. Technical Report 110, University of Kaiserslautern, Germany, 1994.
- [566] J. Weickert. Applications of nonlinear diffusion in image processing and computer vision. *Acta Mathematica Universitatis Comenianae*, 370:33–50, 2001.
- [567] J. Weickert. Efficient image segmentation using partial differential equations and morphology. *Pattern Recognition*, 34:1813–1824, 2001.
- [568] J. Weickert, J. Heers, C. Schnorr, K. Zuiderveld, O. Scherzer, and H. S. Stiehl. Fast parallel algorithms for a broad class of nonlinear variational diffusion approaches. *Journal of Real Time Imaging*, 7:31–45, 2001.
- [569] J. Weickert and C. Schnorr. Variational optic flow computation with a spatio-temporal smoothness constraint. *Journal of Mathematical Imaging and Vision*, 14:245–255, 2001.
- [570] J. Weickert, B. ter Haar Romeny, and M. Viergever. Efficient and reliable schemes for nonlinear diffusion filtering. *IEEE Transactions on Image Processing*, 7:398–410, 1998.
- [571] R. Weisenseel, W. Karl, and D. Castañón. A Region-based Alternative for Edge-preserving Smoothing. In *IEEE International Conference on Image Processing*, pages 778–781, 2000.
- [572] W. Welch and A. Witkin. Free-form shape design using triangulated surfaces. In *ACM SIGGRAPH*, pages 247–256, 1994.
- [573] R. Whitaker. A Level Set Approach to 3D Reconstruction from Range Data. *International Journal of Computer Vision*, 29:203–231, 1997.
- [574] R. Whitaker, D. Breen, K. Museth, and N. Soni. Segmentation of Biological Datasets Using a Level-Set Framework. In M. Chen and A. Kaufman, editors, *Volume Graphics 2001*, pages 249–263. Springer Verlag, 2001.
- [575] R. Whitaker and G. Gerig. Vector-valued diffusion. In *Geometry-Driven Diffusion in Computer Vision*, pages 93–133. Kluwer Academic Publishers, 1994.
- [576] R. Whitaker and X. Xue. Variable-Conductance, Level-Set Curvature for Image Denoising. In *IEEE International Conference on Image Processing*, pages 142–145, 2001.

- [577] G. Winkenbach and D. Salesin. Rendering parametric surfaces in pen and ink. In *ACM SIGGRAPH*, pages 469–476, 1996.
- [578] A. Witkin. Scale-space filtering. In *International Joint Conference on Artificial Intelligence*, pages 1019–1021, 1983.
- [579] A. Witkin and P. Heckber. Using particles to sample and control implicit surfaces. In *ACM SIGGRAPH*, pages 269–278, 1994.
- [580] A. Witkin and M. Kass. Reaction-Diffusion Textures. In *ACM SIGGRAPH*, pages 299–308, 1991.
- [581] G. Wyszecki and W.S. Stiles. *Color Science : Concepts and Methods, Quantitative Data and Formulas*. J. Wiley and Sons, 1982.
- [582] B. Wyvill, A. Guy, and E. Galin. Extending the CSG Tree, Warping, Blending and Boolean Operations in an Implicit Surface Modeling System. *Computer Graphics Forum*, 18:149–158, 1999.
- [583] B. Wyvill, C. McPheeters, and G. Wyvill. Data Structure for Soft Objects. *The Visual Computer*, 2:227–234, 1986.
- [584] C. Xu, D. Pham, M. Rettmann, D. Yu, and J. Prince. Reconstruction of the Human Cerebral Cortex from Magnetic Resonance Images. *IEEE Transactions on Medical Imaging*, 18:467–480, 1999.
- [585] C. Xu and J. Prince. Snakes, Shapes, and Gradient Vector Flow. *IEEE Transactions on Image Processing*, 7:359–369, 1998.
- [586] C. Xu, A. Yezzi, and J. Prince. A Summary of Geometric Level-Set Analogues for a General Class of Parametric Active Contour and Surface Models. In *IEEE Workshop in Variational and Level Set Methods*, pages 104–111, 2001.
- [587] N. Yanenko. *The Method of Fractional Steps: the Solution of Problems of Mathematical Physics in Several Variables*. Springer, 1971.
- [588] L. Yaroslavsky and M. Eden. *Fundamentals of Digital Optics*. Birkhäuser, 1996.
- [589] A. Yezzi. Modified curvature motion for image smoothing and enhancement. *IEEE Transactions on Image Processing*, 7:345–352, 1998.
- [590] A. Yezzi, S. Kichenassamy, A. Kumar, P. Olver, and A. Tannenbaum. A geometric snake model for segmentation of medical imagery. *IEEE Transactions on Medical Imaging*, 16:199–209, 1997.
- [591] A. Yezzi and S. Soatto. Stereoscopic Segmentation. In *IEEE International Conference in Computer Vision*, pages 1:56–64, 2001.
- [592] A. Yezzi, A. Tsai, and A. Willsky. Binary Flows and Image Segmentation. In *IEEE International Conference on Image Processing*, page 26AS1, 1999.
- [593] A. Yezzi, A. Tsai, and A. Willsky. A Statistical Approach to Snakes for Bimodal and Trimodal Imagery. In *IEEE International Conference in Computer Vision*, pages 898–903, 1999.
- [594] A. Yezzi, A. Tsai, and A. Willsky. A Fully Global Approach to Image Segmentation via Coupled Curve Evolution Equations. *Journal of Visual Communication and Image Representation*, 13:195–216, 2002.
- [595] A. Yezzi, L. Zollei, and T. Kapur. A Variational Framework for Joint Segmentation and Registration. In *IEEE Mathematical Methods in Biomedical Image Analysis*, pages 44–51, 2001.

- [596] G. Yngve and G. Turk. Creating smooth implicit surfaces from polygonal meshes. Technical Report 99-42, Graphics, Visualization, and Usability Center, Georgia Institute of Technology, 1999.
- [597] Y. You, W. Zhu, A. Tannenbaum, and M. Kaveh. Behavioral analysis of anisotropic diffusion. *IEEE Transactions on Image Processing*, 5:1539–1553, 1996.
- [598] L. Younes. Computable elastic distances between shapes. *SIAM Journal of Applied Mathematics*, 58:565–586, 1998.
- [599] D. Young. *Iterative Solution of Large Linear Systems*. Academic Press, 1971.
- [600] T. Young and K.S. Fu. *Handbook of pattern recognition and image processing*. Academic Press, 1986.
- [601] A. Yuille. Deformable templates for face recognition. *Journal of Cognitive Neuroscience*, 3:59–70, 1991.
- [602] A. Yuille, P. Hallinan, and D. Cohen. Feature extraction from faces using deformable templates. *International Journal of Computer Vision*, pages 99–111, 1992.
- [603] X. Zeng, L. Staib, R. Schultz, and J. Duncan. Segmentation and Measurement of the cortex from 3D MR images using coupled surfaces propagation. *IEEE Transactions on Medical Imaging*, 18:100–111, 1999.
- [604] D. Zhang and M. Hebert. Harmonic maps and their applications in surface matching. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages II: 524–530, 1999.
- [605] H.-K. Zhao. Analysis and Visualization of Large set of Unorganized Data Points Using the Distance Function. *preprint*, 2002.
- [606] H.-K. Zhao. Fast Sweeping Method for Eikonal Equations I: Distance Function. *preprint*, 2002. Submitted: SIAM Journal on Numerical Analysis.
- [607] H-K. Zhao, T. Chan, B. Merriman, and S. Osher. A variational Level Set Approach to Multiphase Motion. *Journal of Computational Physics*, 127:179–195, 1996.
- [608] H-K. Zhao, S. Osher, and R. Fedkiw. Fast Surface Reconstruction Using the Level Set Method. In *IEEE Workshop in Variational and Level Set Methods*, pages 194–202, 2001.
- [609] H-K. Zhao, S. Osher, and R Fedkiw. Implicit Surface Reconstruction Using the Level Set Method. Technical Report 01-01, UCLA, 2001.
- [610] H-K. Zhao, S. Osher, B. Merriman, and M. Kang. Implicit and Nonparametric Shape Reconstruction from Unorganized Data Using a Variational Level Set Method. *Computer Vision and Image Understanding*, 80:295–314, 2000.
- [611] S. Zhu, T. Lee, and A. Yuille. Region Competition: Unifying Snakes, Region Growing Energy/Bayes/MDL for Multi-band Image Segmentation. In *IEEE International Conference in Computer Vision*, pages 416–423, 1995.
- [612] S. Zhu and A. Yuille. FORMS: A flexible object recognition and modeling system. *International Journal of Computer Vision*, 20:187–212, 1996.
- [613] S. Zhu and A. Yuille. Region Competition: Unifying Snakes, Region Growing, and Bayes/MDL for Multiband Image Segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18:884–900, 1996.